General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some
 of the material. However, it is the best reproduction available from the original
 submission.

Produced by the NASA Center for Aerospace Information (CASI)

ECOLOGY AND THERMAL INACTIVATION OF MICROBES IN AND ON INTERPLANETARY SPACE VEHICLE COMPONENTS

Forty-fourth Quarterly Report of Progress

Order No. W-13411

January 1, 1976 - March 31, 1976

(NASA-CR-147198) ECOLOGY AND THERMAL INACTIVATION OF MICEORES IN AND ON INTERPLANETARY SPACE VEHICLE COMPONENTS Quarterly Frogress Ferort, 1 Jan. - 31 Mar. 1976 (Food and Drug Administration) 74 p HC G3/54 27790

N76-22913 HC\$4.50

Unclas

Conducted by

Division of Microbiology - Cincinnati Food Research Laboratory Bureau of Foods Food and Drug Administration

for the

National Aeronautics and Space Administration Washington, D.C.



U. S. Department of Health, Education, and Welfare Food and Drug Administration 1090 Tusculum Avenue Cincinnati, Ohio 45226

May 1976

ECOLOGY AND THERMAL INACTIVATION OF MICROBES IN AND ON INTERPLANETARY SPACE VEHICLE COMPONENTS

Forty-fourth Quarterly Report of Progress

Order No. W-13411

January 1, 1976 - March 31, 1976

Contributors:

A. L. Reyes

A. J. Wehby

R. G. Crawford

J. C. Wimsatt

J. E. Campbell

J. T. Peeler

Report Prepared by:

A. L. Reyes, Microbiologist

Report Submitted and Forwarded By:

J/E. Campbell, Ph.D.

Principal Investigator

Inactivation of Microorganisms and Viral Particles
A Bibliography, 1960 to Mid-1975.

R. B. Carver and J. T. Peeler

Division of Microbiology Food and Drug Administration Cincinnati, Ohio 45226

ABSTRACT

As a support to current research, the Division of Microbiology has identified almost 600 articles and books published since 1960 about microbial and viral inactivation. This bibliography is presented to facilitate literature reviews on chemical, heat, and radiation inactivation of microorganisms and viral particles.

Inactivation of Microorganisms and Viral Particles
A Bibliography, 1960 to Mid-1975.

R. B. Carver and J. T. Peeler

Division of Microbiology Food and Drug Administration Cincinnati, Ohio 45226

The Division of Microbiology, Bureau of Foods, provides the research and consultation expertise for the Bureau of Foods on problems related to microbial contamination in foods. This division undertakes a wide variety of projects related to methods for detecting and identifying microorganisms and routinely examines techniques to control or eliminate microorganisms and viral agents. At least five current projects deal with methods to destroy different species of organisms and viral particles.

Since the modern basis of thermal parameters was first presented in 1920, many strains of microorganisms have been studied under varying conditions to determine the best way to inactivate them and a large body of published work about this subject has been presented to the scientific community. The modes of inactivation can be broadly classified as chemical, heat, radiation, or a mixture of the three; and the references in this bibliography have been similarly classified.

Because comparative data from recent investigations are necessary to design current studies, a large number of references were examined. Almost 600 papers have been identified as having some bearing on the general topic of inactivation of microorganisms and viral particles. The following periodicals (from 1960 to mid-1975) were used as the primary source for the references: Applied Microbiology, Bacteriology Reviews, Canadian Journal of Microbiology, Food Technology, Journal of Applied Bacteriology, Journal of Bacteriology, Journal of Dairy Science, Journal of Food Science, Journal of General Microbiology, Journal of Milk and Food Technology, Microbiology Abstracts, Poultry Science, Virology, and the NASA Bibliography of Scientific Publications and Presentations Relating to Planetary Quarantine. Pertinent articles from other periodical sources are included also, as are some books and review articles. The bibliography is not comprehensive; some references may have been overlooked or the source material may be incomplete.

The bibliography is presented as an aid to anyone needing information on the subject of microbial and viral inactivation.

References

CHEMICAL INACTIVATION

- Australian Atomic Energy Commission, US 3 617 178, Sensitization of bacterial spores to the lethal effects of certain treatments.
 P. 2.11.71. A 19.11.70 (91 199). (Contn.-in-part of Copending Appn. Ser. No. 751 035 filed 8.8.68.).
- Ayliffe, G. A. J., Ampicillin inactivation and sensitivity of coliform bacilli. J. Gen. Microbiol. 30: 339 (1963).
- Baran, W. L., Dawson, L. E., and Lechowich, R. V., Influence of chlorine dioxide water treatment on number of bacteria associated with processed turkey. Poultry Sci. 52: 1053-1058 (1973).
- 4. Bernagozzi, M., and Bianucci, F., Research on the antibacterial action of some detergents on different strains of Escherichia coli.

 Ig. Mod. 63: 343-352 (1971).
- 5. Borick, P. M., Chemical sterilizers (chemosterilizers)(RV).

 Advances Appl. Microbiol. 10: 291-312 (1968).
- 6. Chizhov, S. V., et al., Study of disinfecting properties of sorbents used in space life-support systems. Kosm. Biol. Med. 7(3): 80-83 (1973).
- Cox, C. S., The aerosol survival of <u>Escherichia coli</u> B in nitrogen, argon, and helium atmospheres and the influence of relative humidity.
 J. Gen. <u>Microbiol</u>. <u>50</u>: 139-147 (1968).
- 8. _____, The aerosol survival and cause of death of Escherichia coli K12. J. Gen. Microbiol. 54: 169 (1968).

- Dabbah, R., Edwards, V. M., and Moats, W. A., Antimicrobial action of some citrus fruit oils on selected food-borne bacteria. <u>Appl.</u>
 Microbiol. 19: 27-31 (1970).
- 10. Demina, A. S., Effect of certain factors in enzymatic inactivation of aminoglycosides by clinical polyresistant strains of <u>E</u>. <u>coli</u>.
 Antibiotiki 18(9): 811-814 (1973).
- 11. Doyle, J. E., McDaniel, A. W., West, K. L., Whitbourne, J. E., and Ernst, R. R., Ethylene oxide resistance of nondesiccated and desiccated spores of <u>Bacillus subtilis</u> var. <u>niger hermetically</u> sealed in various polymeric films. <u>Appl. Microbiol.</u> 20: 793-797 (1970).
- 12. Dugle, D. L., Campbell, C. E., Meeker, B. E., and Gillespie, C. J., Correlation between lethality and DNA single-strand breaks in <u>Bacillus subtilis</u> cells treated with N-methyl-N'-nitro-N-nitrosoguanidine. <u>Mutat. Res. 18(3)</u>: 237-245 (1973).
- 13. Dye, M., and Mead, G. C., The effect of chlorine on the viability of clostridial spores. J. Food Technol. 7: 173-181 (1972).
- 14. Eckardt, K., et al., Strepcovirundin new antibiotics with anti viral activity. Z. Allg. Mikrobiol. Morphol. Physiol. Okol. Mikroorg. 13(7): 625-627 (1973).
- 15. Edebo, L., Holme, T., and Selin, I., Microbicidal action of compounds generated by transient electric arcs in aqueous systems. <u>J</u>.

 Gen. Microbiol. 53: 1- (1968).
- 16. Feingold, D. S., Goldman, J. N., and Kuritz, H. M., Locus of the lethal event in the serum bactericidal reaction. J. <u>Bacteriol</u>. 96(6): 2127-2131 (1968).

- 17. Gilliland, S. E., and Speck, M. L., Inactivation of microorganisms by electrohydraulic shock. Appl. Microbiol. 15: 1031-1037 (1967).
- 18. Gilmour, M. N., and Wicksell, E. K., Bactericidal and sporicidal activity of a quarternary ammonium resin-triiodide complex.

 Antimicrob. Agents Chemother. 2(5): 417-418 (1972).
- 19. Haufele, A., and Sprockhoff, H. V., Ozone for disinfection of water contaminated with vegetative and spore forms of bacteria fungi and viruses. Zentralbl. Bakteriol. Parasitenkd. Infecktionskr. Hyg. 1: 175(1)m, 53-70 (1973).
- 20. Hays, H., Elliker, P. R., and Sandine, W. E., Microbial destruction by low concentrations of hypochlorite and iodophor germicides in alkaline and acidified water. Appl. Microbiol. 15(5): 575-581 (1967).
- 21. Himmerlfarb, P., El-Bisi, H. M., Read, Jr. R. B., and Litsky, W.,

 Effect of relative humidity on the bactericidal acitivity of propylene
 oxide vapor. Appl. Microbiol. 10(5): 431-435 (1962).
- 22. Hoff-Jorgensen, R., and Lund, E., Studies on the inactivation of viruses by ethylene oxide. Acta Vet. Scand. 13(4): 520-527 (1972).
- 23. Hoffman, R. K., and Spiner, D. R., Effect of relative humidity on the peratrability and sporicidal activity of formaldehyde. Appl.

 Microbiol. 20(4): 616-619 (1970).
- 24. Ito, K. A., Seeger, M. L., and Lee, W. H., The destruction of

 Byssochlamys fulva asci by low concentrations of gasious methyl
 bromide and by aqueous solutions of chlorine, an iodophor and
 peracetic acid. J. Appl. Bacteriol. 35: 479-483 (1972).

- 25. Ito, K. A., et al., Resistance of bacterial spores to hydrogen peroxide. Food Technol. 27: 58-65 (1973).
- 26. Jetten, A. M., and Vogels, G. D., Characteristics of the killing effect of a Staphylococcus epidermidis bacterlocin. Antonie van Leeuwenhoek 40(1): 177-183 (1974).
- 27. Kalember-Radosavljevic, M., and Ilic, M., Effect of chlorine disinfectants on Clostridium botulinum Type A toxin. Acta Biol. Iugosl.

 Ser. Mikrobiol. 8(2): 219-225 (1971).
- 28. Keogh, M. K., and Hedrick, T. I., Spore destruction with hot chemical solutions. J. Milk and Food Technol. 34(7): 365-368 (1971).
- 29. Kereluk, K., et al., Microbiological aspects of ethylene oxide sterilization. Appl. Microbiol. 19(1): 146-165 (1970).
- 30. Kereluk, K., and Gammon, R. A., The microbiocidal accivity of ethylene oxide. Dev. Ind. Microbiol. 14: 28-41 (1972).
- 31. Koppensteiner, G., and Mrozek, H., The sporicidal action of chemical disinfectants. Arch. Lebensmittelhyg. 2(6): 125-131 (1973).
- 32. Loreti, G., et al., The bacteriostatic activity of food colouring additives. Atti. Soc. Peloritana Sci. Fis. Mat. Nat. 16: 51-55 (1970).
- 33. Manning, J. M., Merrifield, N. E., Jones, W. M., and Gotschlich, E. C.,
 Inhibition of bacterial growth by β-chloro-D-alanine. <u>Proc. Natl.</u>

 <u>Acad. Sci. USA</u>, 71(2): 417-421 (1974).
- 34. Michael, G. T., and Stumbo, C. R., Ethylene oxide sterilization of Salmonella senftenberg and Escherichia coli: death kinetics and mode of action. J. Food Sci. 35: 631-634 (1970).

- 35. Minor, T. E., and Marth. E. H., Loss of viability by Staphylococcus aureus in acidified media. I. Inactivation by several acids, mixtures of acids, and salts of acids. J. Milk and Food Tech. 35: 191-196 (1972).
- 36. Muschel, L., Immune bactericidal and bacteriolytic reactions.

 Ciba Found. Symp. Complement, p. 155-174 (1965).
- 37. Nishioka, H., Lethal and mutagenic action of formaldehyde in Her and Her strains of E. coli. Mutat. Res. 17: 261-265 (1973).
- 38. Omar, N. M., and El-Kader, Abd, Potential antibacterial agents. III.

 2,3-Dialkyl-5-arylisoxazolium perchlorates. Can. J. Pharm. Sci. 8(4):

 128-130 (1973).
- 39. Park, H. S., and Marth, E. H., Inactivation of Salmonella typhymurium by sorbic acid. J. Milk and Food Tech. 35:532-539 (1972)
- 40. Roberts, T. A., and Ingram, M., Inhibition of growth of Cl. botulinum at different pH values by sodium chloride and sodium nitrite. J. Food Tech. 8(4): 467-475 (1973).
- 41. Roberts, T. A., and Smort, J. L., Inhibition of spores of Clostridium

 spp. by sodium nitrite. J. Appl. Bacteriol. 37: 261-264 (1974).
- 42. Sale, A. J. H., Gould, G. W., and Hamilton, W. A., Inactivation of bacterial spores by hydrostatic pressure. <u>J. Gen. Microbiol.</u> 60: 323-334 (1970).
- 43. Salfinger, M., On the kinetics of killing Staphylococcus aureus by formaldehyde. Pathol. Microbiol. 36: 277-278 (1970).
- 44. Tetsumoto, S., Chemical preservation of marine products. VI. Bactericidal action of chemical preservatives by their combined use. <u>Bull.</u>

 Tokai Reg. Fish Res. Lab. <u>56</u>: 101-107 (1968).

- 45. Toledo, R. T., Escher, F. E., and Ayres, J. C., Sporicidal properties of hydrogen peroxide against food spoilage organisms. Appl.

 Microbiol. 26(4): 592-597 (1973).
- 46. Vasil'eva, S. V., et al., Comparative investigation of lethal and mutagenic effects of N-nitroso-N-methyl urea and methyl methanesul-phonate on strains of Escherichia coli Kl2 differing in their capacity for repairing DNA lesions. Genetika 9(7): 80-84 (1973).
- 47. Verbina, N. M., et al., Antibacterial activity of some quaternary ammonium compounds. Prikl. Biokhim. Mikrobiol. 9(4): 575-578 (1973).
- 48. Walker, C. C., and Harmon, L. G., Hydrogen peroxide as a bactericide for staphylococci in cheese milk. J. Milk and Food Technol. 28: 36-40 (1965).
- 49. Watkins, S., and Elliker, P. R., Effect of chelating agents on destruction of Streptococcus cremoris bacteriophage by quaternary ammonium compounds. J. Milk and Food Technol. 23: 360-362 (1960).
- 50. Webb. S. J., The effect of relative humidity and light on air-dried organisms. J. Appl. Bacteriol. 36(3): 307 (1 53).
- 51. Winaro, F. ., and Stumbo, C. R., Mode of action of ethylene oxide on spores of Clostridium botulinum 62A. J. Food Sci. 36: 892-895 (1971).
- 52. Yamamoto, N., Anderson, M. D., and Dipaolo, J. A., Phage and bacterial inactivation and prophage induction by chemical carcinogens.

 Mol. Pharmacol. 10(4): 640-647 (1974).
- 53. YuWang, M., et al., Destruction of psychrophilic strains of Bacillus by chlorine. J. Dairy Sci. 56: 1253-1257 (1973).

54. Zobel, C. E., and Cobet, A. B., Growth, reproduction, and death rates of Escherichia coli at increased hydrostatic pressures. J. Bacteriol. 84(6): 1228-1236 (1962).

HEAT INACTIVATION

- 55. Adams, D. M., Inactivation of <u>Clostridium perfringens</u> Type A spores at ultrahigh temperatures. <u>Appl. Microbiol.</u> 25(3): 282-287 (1973).
- perfringens spores heated at ultra high temperatures. Appl. Microbiol. 27(4): 797-801 (1974).
- 57. Akers, T. G., Bond, S., and Goldberg, L. J., Effect or temperature and relative humidity on survival of airborne <u>Columbia</u> SK group viruses. <u>Appl. Microbiol.</u> 14(5): 361-364 (1966).
- 58. Alderton, G., and Snell, N., Chemical states of bacterial spores:

 heat resistance and its kinetics at intermediate water activity.

 Appl. Microbiol. 1974): 565-572 (1970).
- 59. Allwood, M. C., and Russell, A. D., Thermally induced changes in the physical properties of <u>Staphylococcus</u> aureus. J. <u>Appl. Bacteriol</u>.

 32(1): 68-78 (1969).
- 60. _______, Mechanism of thermal injury in <u>Staphylococcus</u>

 <u>aureus</u>. I. Relationship between viability and leakage. <u>Appl</u>. <u>Microbiol</u>. 15(11): 1266-1269 (1967).
- 61. , Mechanisms of thermal injury in nonsporulating bacteria. Adv. Appl. Microbiol. 12: 89-119 (1970).
- 62. Anagnostopoulos, G. D., et al., Studies on the heat resistance of bacteria, with particular reference to the Genus Microhacterium. I. A new technique using solid media. J. Appl. Bacteriol. 27(2): 224-228 (1964).

- 63. Anellis, A., and Werkowski, S., Estimation of an equivalent '12D' process by the normal distribution method. Can. J. Microbiol. 17: 1185-1187 (1971).
- 64. Anema, P. J., and Geers, J. M., Controlling the sporulation of

 Clostridium sporogenes and the heat resistance of the spores. J.

 Appl. Bacteriol. 36(4): 553-558 (1973).
- 65. Angelotti, R., Foter, M. J., and Lewis, K. H., Time-temperature effects of Salmonellae and Staphylococci in foods. II. Thermal death time studies. Appl. Microbiol. 9(4): 308-315 (1961).
- 66. Angelotti, R., Maryanski, J. H, Peeler, J. T., and Campbell, J. E.,

 Dry heat destruction of spores in simulated space vehicle components.

 Bacteriol. Proc. A75: 13 (1967).
- 67. Angelotti, R., Maryanski, J. H., Butler, T. F., Peeler, J. T., and Campbell, J. E., Influence of spore moisture content on the dry-heat resistance of <u>Bacillus subtilis</u> var. <u>niger</u>. <u>Appl. Microbiol. 16</u>: 735-745 (1968).
- 68. Anon., Destroying Salmonella by heat. Agric. Res. 19(7): 7 (1971).
- 69. Aoki, H., and Slepecky, R. A., Inducement of a heat-shock requirement for germination and production of increased heat resistance in

 Bacillus fastidiosus spores by manganous ions. J. Bacteriol. 114(1):

 137-143 (1973).
- 70. Armani, G., Campa, M., and Toniolo, A., Variations in resistance to heat and ageing of spores of <u>Bacillus stearothermophilus</u> held at different temperatures. <u>G. Batteriol. Virol. Immunol.</u> 67(1-6): 57-66 (1974).

- 71. Arnulv, B. G., and Snygg, B. G., Heat resistance of <u>Bacillus subtilis</u> spores at various water activities. <u>J. Appl. Bacteriol.</u> 34(4): 615-24 (1972).
- 72. Ashworth, J., Hargreaves, L. L., and Jarvis, B., The production of an antimicrobial effect in pork heated with sodium nitrite under simulated commercial pasteurization conditions. J. Food Technol. 8(4): 477-484 (1973).
- 73. Baird-Parker, A. C., Boothroyd, M., and Jones, E., The effect of water activity on the heat resistance of heat sensitive and heat resistant strains of salmonellae. <u>J. Appl. Bacteriol</u>. 33(3): 515-522 (1970).
- 74. Baldock, J. D., Fung, D. Y. C., and Walker, H. W., Rapid microtiter technique for study of heat destruction of bacterial spores. Appl.

 Microbiol. 16(10): 1627-1628 (1968).
- 75. Balducci, A., and Sordi, M., New knowledge on the sterilization of milk and milk products. <u>Fette</u>, <u>Seifen</u>, <u>Anstrichmittel</u> <u>72</u>: 308-309 (1970).
- 76. Baldwin, R. E., Fields, M. C., and Poon, W. C., Destruction of salmonella by microwave heating of fish with implications for fish products. J. Milk and Food Technol. 34: 467-470 (1971).
- 77. Barnett, M. J., Investigations into a diffusion model of dry heat sterilization, Appendix B. Exotech, Inc., Washington, D. C.
- 78. Barrile, J. C., and Cone, J. F., Effect of added moisture on the heat resistance of <u>Salmonella anatum</u> in milk chocolate. <u>Appl. Microbiol.</u> 19: 177-178 (1970).

- 79. Bateman, J. B., McCaffrey, P. A., O'Connor, R. J., and Monk, G. W., Relative humidity and the killing of bacteria. The survival of damp Serratia marcescens in air. Appl. Microbiol. 9(6): 567-571 (1961).
- 80. Bateman, J. B., Stevens, C. L., Mercer, W. B., and Carstensen, E. L., Relative humidity and the killing of pacteria: the variation of cellular water content with external relative humidity or osmolality.

 J. Gen. Microbiol. 29: 207 (1962).
- 81. Bateman, J. B., and White, F. E., Relative humidity and the 'killing of bacteria: the survival of <u>Serratia marcescens</u> dehydrated by concentrated glycerol and sucrose solutions. <u>J. Bacteriol</u>. <u>85(4)</u>: 918-926 (1963).
- 82. Bennett, F. W., Heat tolerance tests of psychrophilic bacteria with continuous flow equipment. J. Dairy Sci. 50: 939 (1967).
- 83. Beuchat, L. R., and Lechowich, R. Y., Survival of heated <u>Streptococcus</u>

 <u>faecalis</u> as affected by phase of growth and incubation temperature

 after thermal exposure. J. Appl. Bacteriol. 31(4): 414-417 (1968).
- 84. Beverloo, W. A., An error and additional obserbations. Survival of microorganisms in continuous HTST processes. Food Technol. 21: 964-966 (1967).
- 85. Bielicka, A., and Krzywicka, H., A trial of standardization of bacterial tests for control of efficiency of sterilization with moist heat. Rocz.

 Panstw. Zakl. Hig. 24(6): 667-670 (1973).
- 86. Bleichrodt, J. F., Blok, J., and Berends-von Abkoude, E. R., Thermal inactivation of bacteriophage ØX174 and two of its mutants. Virology 36: 345-355 (1968).

- 87. Bond, W. W., Favero, M. S., Peterson, N. J., and Marshall, J. H.,

 Dry-heat inactivation kinetics of naturally occurring spore populations. Appl. Microbiol. 20: 573-578 (1970).
- 88. Bond, W. W., and Favero, M. S., Thermal profile of a Bacillus species (ATCC27380) extremely resistant to dry heat. Appl. Microbiol. 29(6): 859-860 (1975).
- 89. Royd, D., Nixon, R., Gillespie, S., and Gillespie, D., Screening of Escherichia coli temperature-senstitive mutants by pretreatment with glucose. J. Bacteriol. 95(3): 1040-1050 (1968).
- 90. Brannen, J. P., On the role of DNA in wet heat sterilization of micro-organisms. J. Theor. Biol. 27: 425-432 (1970).
- 91. ______, Role of water activity in the dry heat sterilization of micro-organisms. J. Theor. Biol. 32: 331-334 (1971).
- 92. _____, An analysis of vacuum effects in the sterilization of microorganisms. Biophysik 7: 55-59 (1970).
- 93. Brannan, J. P., and Garst, D. M., Dry heat inactivation of <u>Bacillus</u>

 <u>subtilis</u> var. <u>niger</u> spores as a function of relative humidity.

 Appl. <u>Microbiol</u>. <u>23(6)</u>: 1125-1130 (1972).
- 94. Brown, W. L., Vinton, C. A., and Gross, C. E., Heat resistance and growth characteristics of microorganisms isolated from semiperishable canned hams. J. Food Sci. 25: 345-350 (1960).
- 95. Bruch, M. K., and Smith, F. W., Resistance of spores of <u>Bacillus</u>

 <u>subtilis</u> var. <u>niger</u> on Kapton and Teflon film to high temperature
 and dry heat. <u>Appl. Microbiol.</u> <u>16</u>(12): 1841-1846 (1968).

- 96. Busta, F. F., Thermal inactivation characteristics of bacterial spores at ultrahigh temperatures. Appl. Microbiol. 15(5): 640-645 (1967).
- 97. Byrne, A. F., Burton, T. H., and Koch, R. B., Relation of dippolinic acid content of anerobic bacterial endospores to their heat resistance. J. Bacteriol. 80(1): 139-140 (1960).
- 98. Calhoun, C. L., and Frazier, W. C., Effect of available water on thermal resistance of three nonsporeforming species of bacteria.

 Appl. Microbiol. 14(5): 416-420 (1966).
- 99. Canada, J. C., and Strong, D. H., Effects of animal alimentary passage on the heat resistance of <u>Clostridium perfringens</u>. <u>Appl. Microbiol.</u> 13(9): 788-792 (1965).
- 100. Cerf, O., Grosclaude, G., and Vermeire, D., Apparatus for the determination of heat resistance of spores. Appl. Microbiol. 19(4): 696-697 (1970).
- 101. Cerf, O., and Hermier, J., Abnormal heat resistance of bacterial spores heated by direct injection into steam. Lait 53(521-522): 23-39 (1972).
- 102. Charlett, S. M., Modern techniques of food sterilization uperi-sation. Food Trade Rev. 41(9): 25-27, 31-35 (1971).
- 103. Charm, S. E., On the margin of safety in canned foods. Food
 Technol. 20: 665-667 (1966).
- , Survivel of microorganisms in continuous HTST processes a reply and additional comments. Food Technol. 21: 966 (1967).

- 105. Chaudhary, R. A., Tuckey, S. L., and Witter, L. D., Heat resistance of three strains of psychrophilic organisms added to simmilk for cottage cheese manufacture. <u>J. Dairy Sci. 43(12): 17/4-1782 (1960).</u>
- 106. Clouston, J. G., and Wills, P. A., Initiation of germination and inactivation of <u>Bacillus pumilus</u> spores by hydrostatic pressure.
 J. <u>Bacteriol</u>. 97(2): 684-690 (1969).
- 107. Cohen, J. S., Calculation of a thermal process for the sterilization of canned beef. Trans. Alm. Soc. Agric. Eng. 17(1): 53-55 (1974).
- 108. Cook, A. M.; and Gilbert, R. J., Factors affecting the heat resistance of <u>Bacillus stearothermophilus</u> spores: the effect of recovery conditions on colony count of unheated and heated spores. <u>J. Food Technol.</u>
 3: 285-302 (1968).
- , The effect of sodium chloride on heat resistance and recovery of heated spores of <u>Bacillus stearothermophilus</u>.

 <u>J. Appl Bacteriol</u>. 32(1): 96-102 (1969).
- 110. Corry, J. E., The effect of sugars and polyols on the heat resistance of Salmonellae. J. Appl Bacteriol. 37(1): 31-43 (1974).
- 111. Cotterill, O. J., and Glauert, J., Thermal resistance of salmonellae in egg yolk products containing sugar or salt. <u>Poultry Sci. 48</u>: 1156-1166 (1969).
- 112. Cotterill, O. J., Glauert, J., and Krause, G. F., Thermal destruction curves for <u>Salmonella oranienburg</u> in egg products. <u>Poultry Sci. 52</u>: 568-577 (1973).
- 113. Craven, S. E., and Lillard, H. S., Effect of microwave heating of precooked chicken on <u>Clostridium perfringens</u>. <u>J. Food Sci. 39(1)</u>: 211-212 (1974).

- 114. Crawford, J. G., Integrated lethality of sterilization temperature profiles. General Electric Co., Re-entry Systems Dept., Tech. Info. Series #69-SD247. 7 April (1969).
- 115. Crisley, F. D., Peeler, J. T., and Angelotti, R., Heat resistance of Clostridium botulinum Type E spores in whitefish chubs. Bacteriol.

 Proc. A26: 5 (1967).
- 116. Crisley, F. D., Peeler, J. T., Angelotti, R., and Hall, H. E., Thermal resistance of spores of five strains of <u>Clostridium botulinum</u> Type E in ground whitefish chubs. J. Food Sci. 33: 411-416 (1968).
- 117. Culkin, K. A., and Fung, D. Y. C., Destruction of Escherichia coli and Salmonella typhimurium in micro-wave cooked soups. J. Milk and Food Technol. 38: 8-15 (1975).
- 118. Curtis, C. R., Response of fungi to diurnal temperature extremes.

 Nature 213(5077): 738-739 (1967).
- 119. Dabbah, R., Moats, W. A., and Mattick, J. F., Factors affecting resistance to heat and recovery of heat-injured bacteria. <u>J. Dairy Sci. 52</u>(5): 608-614 (1969).
- 120. Dabbah, R., Moats, W. A., and Edwards, V. M., Heat survivor curves of food-borne bacteria suspended in commercially sterilized whole milk.
 I. Salmonellae. J. Dairy Sci. 54(11): 1583-1588 (1971).
- , Heat survivor curves of food-borne bacteria suspended in commercially sterilized whole milk. II. Bacteria other than Salmonellae. <u>J. Dairy Sci. 54(12)</u>: 1772-1779 (1971).

- 122. Daoust, D. R., Read, R.B., Jr., and Litsky, W., Thermal inactivation studies on pathogenic bacteria in milk and various milk products. I.

 Corynebacterium diphtheriae ATCC No. 296. J. Dairy Sci. 44(1): 32-40 (1961).
- 123. Daoust, D. R., El-Bisi, H. M., and Litsky, W., Thermal destruction kinetics of a lactic streptococcal bacteriophage. Appl. Microbiol. 13(5): 478-485 (1965).
- 124. Dastur, K., Weckel, K., and VonElbe, J., Thermal processes for canned cherries. Food Technol. 22: 1176-1182 (1968).
- 125. Davidson, C. M., et al., Thermal resistance of Salmonella senftenberg.

 Nature 212(5066): 1060-1061 (1966).
- 126. Day, L. E., and Costilow, R. N., Physiology of the sporulation process in <u>Clostridium botulinum</u>. I. Correlation of morphological changes with catibolic activities, synthesis of dipicolinic acid, and development of heat resistance. <u>J. Bacteriol</u>. <u>88(3)</u>: 690-694 (1964).
- 127. Davis, M. S., and Bateman, J. B., Relative humidity and the killing of bacteria. I. Observations on <u>Escherichia coli</u> and <u>Micrococcus</u>
 <u>lysodeikticus</u>. <u>J. Bacteriol</u>. <u>80(5)</u>: 577-579 (1960).
- 7. Relative humidity and the killing of bacter's.

 II. Selective changes in oxidative activity associated with death.

 J. Bacteriol. 80(5): 580-584 (1960).
- 129. De groot, A. P., Hellendoorn, E. W., and Slump, P., The effects of hot sterilization and five year storage on the nutritional values of canned foods. Instituut Voor Voedingsonderzoek Tnd. Jan. (1970).

- 130. de Gusman, A., Fields, A., Humbert, R. D., and Kazanas, N.,

 Sporulation and heat resistance of <u>Bacillus stearothermophilus</u> spores

 produced in chemically defined media. <u>J. Bacteriol.</u> <u>110(2):</u> 775
 776 (1970).
- 131. de Ruyter, P. W., and Brunet, R., Estamation of process conditions for continuous sterilization of foods containing particulates. <u>Food</u> <u>Technol.</u> <u>27</u>(7): 44-51 (1973).
- 132. Dega, C. A., Goepfert, J. M., and Amundson, C. H., Heat resistance of Salmonellae in concentrated milk. Appl. Microbiol: 23: 415-420 (1972).
- 133. Deindoerfer, F. H., and Humphery, A. E., Scale-up of heat sterilization operations. Appl. Microbiol. 9(2): 134-139 (1961).
- 134. Denny, C. B., Tan, P. L., and Bohrer, C. W., Heat inactivation of staphylococcal enterotoxin A. J. Food Sci. 31: 162-167 (1966)
- 135. Dickerson, Jr. R. W., and Read, Jr. R. B., Instrument for study of microbial thermal inactivation. Appl. Microbiol. 16(7): 991-997 (1968).
- . Thermometric lag of four temperature sensing elements in milk high-temperature heating system. J. Dairy Sci. 54(12): 1790-1800 (1971).
- 137. Dickerson, Jr. R. W., An apparatus for the measurement of thermal diffusivity of foods. Food Technol. 19: 198 (1965).
- of the heating and cooling phases of thermal inactivation determinations. Food Technol. 23(3): 382-385 (1969).

- , Microbial lethality during logarithmic cooling. J. Food Sci. 36(3): 386-387 (1971).
- 140. Pohrenwendt, K., and Schernes, B., Control of the heat sterilization process by the computer AX 016. Fleisch 25: 225-227 (1971).
- 141. Doskoch, I. A. E., Parkhomenko, I. M., Bogdanova, N. V., Mazokhina, N. N., and Tarusov, B. N. Spontaneous and induced chemiluminescence of spores of the thermophilic microorganism related to its thermostability. Mikrobiologiya 40: 849-857 (1971).
- vation of <u>Bacillus</u> aerothermophilus spores on their induced electrochemiluminescence. Doki Akad Nauk SSSR 206(1): 213-5 (1972).
- 143. Drummond, D. W., and Pflug, I. J., Dry-heat destruction of

 Bacillus subtilis spores on surfaces: effect of humidity in an open

 system. Appl. Microbiol. 20(5): 805-809 (1970).
- 144. Duggan, D. E., Anderson, A. W., and Elliker, P. R., Inactivation-rate studies on a radiation-resistant spoilage microorganism. III. Thermal inactivation rates in beef. J. Food Sci. 28(2): 130-134 (1963).
- 145. Dul, M. J., and MacDonald, W. C., Morphological changes and antibiotic-induced thermal resistance in vegetative cells of <u>Bacillus</u> subtilis. <u>J. Bacteriol</u>. 106(2): 672-678 (1971).
- 146. Ebner, J. B., and Frea, J. I., Heat resistance during the life cycle of Streptomyces fradiac. Microbios. 2: 43-48 (1970).
- 147. Edwards, J. L., Busta, F. F., and Speck, M. L., Thermal Inactivation characteristics of <u>Bacillus subtilis</u> spores at ultrahigh temperatures.

 Appl. Microbiol. <u>13(11)</u>: 851-857 (1965).

- high temperatures. Appl. Microbiol. 13(11): 858-864 (1965).
- 149. Elliott, R. P., Improved temperature-gradient incubator and the maximum growth temperature and heat resistance of <u>Salmonella</u>.

 Appl. Microbiol. 13(1): 73-76 (1965).
- 150. Evancho, G. M., Ashton, D. H., and Briskey, E. J., Conditions necessary for sterility testing of heat processed canned foods.
 J. Food Sci. 38(2): 185-188 (1973).
- 151. Fields, M. L., Chen Lee, P. O., and Wang, D., Relationship of soil constituents to spore counts and heat resistance of <u>Bacillus</u> stearothermophilus. Can. J. <u>Microbiol</u>. 20: 1625- (1974).
- 152. Filppi, J. A., and Banwart, G. J., Effect of the fat content of ground beef on the heat inactivation of poliovirus. <u>J. Food Sci.</u> 39: 865-868 (1974).
- 153. Fox, K., and Pflug, I. J., Effect of temperature and gas velocity on the dry heat destruction rate of bacterial spores. Appl. Microbiol.

 16: 343-348 (1968).
- 154. Fox, K., and Eder, B. D., Comparison of survivor curves of <u>Bacillus</u>

 <u>subtilis</u> spores subjected to wet and dry heat. <u>J. Food Sci. 34(6):</u>

 518-521 (1969).
- 155. Friesen, W. T., and Anderson, R. A., Effects of sporulation conditions and cation-exchange treatment on the thermal resistance of <u>Bacillus</u> stearothermophilus spores. Can. J. Pharm. Sci. 9(2): 50-53 (1974).
- 156. Fung, D. Y., Steinberg, D. H., Miller, R. D., Kurantnick, M. J., and Murphy, T. F., Thermal inactivation of Staphylococcal entercloxins

 B and C. Appl. Microbiol. 26(6): 938-42 (1973).

- 157. Garibaldi, J. A., Straka, R. P., and Ijichi, K., Heat resistance of Salmonella in various egg products. Appl. Microbiol. 17(4): 491-496 (1969).
- 158. Gibriel, A. Y., and Abd El Al., A. T. H., Measurement of Leat resistance parameters for spores isolated from canned products.

 J. Appl. Bacteriol. 36(2): 321-327 (1973).
- 159. Gibson, B., The effect of high sugar concentration on the heat resistance of vegetative microorganisms. <u>J. Appl. Bacteriol.</u> 36(3): 365-376 (1973).
- 160. Gillespy, G. G., and Thorpe, R. H., Occurrence and significance of thermophiles in canned foods. J. Appl. Bacteriol. 31: 59-65 (1968).
- 161. Goepfert, J. M., and Biggie, R. A., Heat resistance of <u>Salmonella</u>

 typhimurium and <u>S. senftenberg</u> 775W in milk chocolate. <u>Appl. Micro-biol.</u> 16: 1939-1940 (1968).
- 162. Goepfert, J. M., Iskander, I. K., and Amundson, C. H., Relation of the heat resistance of Salmonellae to the water activity of the environment. Appl. Microbiol. 19(3): 429-433 (1970).
- 163. Goldmintz, D., Simpson, R. C., and Dubrow, D. L., Effect of temperature on <u>Vibrio parahaemolyticus</u> in artifically contaminated seafood.

 Dev. <u>Ind. Microbiol.</u> <u>15</u>: 288-293 (1974).
- 164. Gonzalez-Cancho, F., and Fernandez-Diez, M. J., The thermal resistance of various <u>Clostridium</u> spp. isolated from green Spanish-style olive brines. <u>Microbiol</u>. <u>Espan</u>. 20: 73-79 (1967).
- 165. Goodenough, E. R., and Solberg, M., A technique for producing large yields of vegetative cell-free refractile Clostridium perfringens spores of unaltered heat resistance. Appl. Microbiol. 23(2): 429-430 (1972).

- 166. Granados, R. R., and Chapman, R. K., Heat inactivation and interactions of four aster yellow virus strains in their vector,

 Macrosteles fascifrons (Stal). Virology 36: 333-342 (1968).
- 167. Grecz, N., and Tang, T., Relation of dipicolinic acid to heat resistance of bacterial spores. J. Gen. Microbiol. 63: 303- (1970).
- 168. Grecz, N., Smith, R. F., and Hoffman, C. C., Sorption of water by spores, heat-killed spores, and vegetative cells. Can. J. Microbiol. 16: 573-579 (1970).
- 169. Griffin, Jr. R. C., Herndon, D. H., and Ball, C. O., Use of computer-derived tables to calculate sterilizing processes for packaged foods.
 2. Application to broken-line heating curves. Food Technol. 23: 519-524 (1969).
- 170. Gunther, K., Krasavin, E. A., Kudryashov, E. I., Ryzhov, N. I., and Shultz, W., Analysis of results in studying the biological effect of heavy ions with different lineae energy transfers on the basis of the theoretical model of inactivation. Kosm. Biol. Med. 7(6): 3-8 (1973).
- 171. Hachisuka, Y., Tochikubo, K., and Yokoi, Y., The action of dipicolinic acid and its chemical analogues on the heat stability of glucose dehydrogenase of <u>Bacillus subtilis</u> spores. <u>J. Biochem. 61</u>: 659-661 (1967).
- 172. Hahon, N., and Kozikowski, E., Thermal inactivation studies with variola virus. J. Bacteriol. 81(4): 609-613 (1961).

- 173. Halsted, C. C., Seto, D. S. Y., Simkins, J., and Carver, D. H.,

 Protection of enteroviruses against heat inactivation by sulfhydrylreducing substances. <u>Virology</u> 40(3): 751 (1970).
- 174. Hancock, R. E., and Reeves, P., Bacteriophage resistance in <u>Escheri-chia coli</u> K-12: general pattern of resistance. <u>J. Bacteriol. 121</u>: 983- (1975).
- 175. Hansen, N. H., and Riemann, H., Factors affecting the heat resistance of nonsporing organisms. J. Appl. Bacteriol. 26(3): 314-333 (1963).
- 176. Harnulv, B. G., and Snygg, G. G., Heat resistance of <u>Bacillus</u>

 <u>subtilis</u> spores at various water activities. <u>J. Appl. Bactericl.</u>

 35(4): 615-624 (1972).
- 177. Hauschild, A. H. W., and Thatcher, F. S., Experimental food poisoning with heat-susceptible <u>Clostridium perfringens</u> Type A. <u>J. Food</u>
 Sci. 32(4): 467-469 (1967).
- 178. Hayakawa, K., A procedure for calculating the sterilizing value of a thermal process. <u>Food Technol</u>. <u>22</u>: 905-907 (1968).

- 181. ______, Improved procedures for mathematical evaluation of heat processes a research note. <u>J. Food Sci. 39(4)</u>: 849-850 (1974).

- 182. Hayakawa, K., and Ball, C. O., A note on theoretical heating curve of a cylindrical can of thermally conductive food. <u>Canadian Inst.</u>
 of Food Technol. <u>J. 1</u>: 54 (1968).
- , Theoretical formulas for temperatures in cans of solid food and for evaluating various heat processes. J. Food Sci. 36(2): 306-310 (1971).
- 184. Hayakawa, K., Schell, P. G., and Kleyn, D. H., Estimating thermal death time characteristics of thermally vulnerable factors by programmed heating of sample solutions or suspensions. <u>Food Technol</u>.

 23: 1090-1094 (1969).
- 185. Heckly, R. J., and DiMatteo, J., Rhythmic changes in dry heat resistance of <u>Bacillus subtilis</u> spores after rapid changes in pH. <u>Appl.</u>

 <u>Microbiol.</u> 29: 565-566 (1975).
- 186. Herndon, D. H., and Criffir, R. C., Use of computer-derived tables to calculate sterilizing processes for packaged foods. <u>Food Technol</u>. <u>22</u>: 473-478 (1968).
- 187. Herndon, D. H., Population distribution of heat rise curves as a significant variable in heat sterilization process calculations.
 <u>J. Food Sci.</u> 36(2): 299-305 (1971).
- 188. Herrmann, J., Optimisation of sterilisation processes with reference to destruction of microorganisms and chemical changes. Nahrung 13: 639-661 (1969).
- 189. Hiatt, G. W., Kinetics of the inactivation of viruses. <u>Bacteriol</u>.

 <u>Reviews 28(2): 150-163 (1964).</u>
- 190. Hoffman, R. K., Gambill, V. M., and Buchanan, L. M., Effect of cell moisture on the thermal inactivation of bacterial spores. Appl.

 Microbiol. 16(8): 1240-1244 (1968).

- 191. Holdom, R. S., Williams, M. G., and Foster, J. W., Ultrastructure of spore coats produced by lethal germination of spores of <u>Bacillus</u> megaterium 9885. J. Appl. Bacteriol. 33(4): 738-743 (1970).
- 192. Horner, K. J., and Anagnostopoulos, G. D., Effect of water activity on heat survival of <u>Staphylococcus aureus</u>, <u>Salmonella typhimurium</u>, and <u>Salmonella senftenberg</u>. J. Appl.Bacteriol. 38(1): 9-17 (1975).
- 193. Huang, C. T., Tamai, K., and Nishida, S., Taxonomy of <u>Clostridium</u>

 <u>birermentans</u> and <u>Clostridium sordellii</u>. III. Agglutinability of

 heat-resistant substrains of <u>Clostridium sordellii</u>. <u>J. Bacteriol</u>.

 90(2): 391-394 (1965).
- 194. Humphrey, A. E., and Nickerson, J. T. R., Testing thermal death data for significant nonlogarithmic behavior. Appl. Microbiol. 9(4): 282-286 (1961).
- 195. Jacobs, R. A., Kempe, L. L., and Milone, N. A., High temperature-short time (HTST) processing of suspensions containing bacterial spores. J. Food Sci. 38(1): 168-172 (1973).
- 196. Jamlang, E. M., Bartlett, M. L., and Snyder, H. E., Effect of pH, protein concentration, and ionic strength on heat inactivation of staphylococcus enterotoxin B. Appl. Microbio1.22: 1034-1040 (1971).
- 197. Jaynes, J. A., Pflug, I. J., and Harmon, I. G., Some factors affecting the heating and cooling lags of processed cheese in thermal death time cans. J. Dairy Sci. 44(12): 2171-2175 (1961).
- 198. Jen, Y., Manson, J. E., Stumbo, C. R., and Zahradnik, J. W., A procedure for estimating sterilization of and quality factor degradation in thermally processed foods. J. Food Sci. 36(4): 692-698 (1971).

- 199. Joffe, F. M., and Ball, C. O., Kinetics and energetics of thermal inactivation and the regeneration rates of a peroxidase system.

 J. Food Sci. 27(6): 587-592 (1962).
- 200. Jones, M. C., The temperature dependence of the lethal rate in sterilization calculations. J. Food Technol. 3: 31-38 (1968).
- 201. Kadan, R. S., Martin, W. H., and Mickelsen, R., Effects of ingredients used in condensed and frozen dairy products on thermal resistance of potentially pathogenic staphylococci. <u>Appl. Microbiol</u>. 11: 45-49 (1963).
- 202. Kenis, P. R., and Morita, R. Y., Thermally induced leakage of cellular material and viability in <u>Vibrio marinus</u> a psychrophilic marine bacterium. Can. J. Microbiol. 14: 1239-1244 (1968).
- 203. Kereluk, K., Peterson, A. C., and Gunderson, M. F., Effect of different temperatures on various bacteria isolated from frozen meat pies. J. Food Sci. 26: 21-25 (1961).
- 204. Klostergaard, H., Simple mathematical solutions of problems associated with heat sterilization of milk. J. Food Sci. 30(4): 702-709 (1965).
- 205. Koka, M., and Mikolajcik, E. M., Kinetics of thermal destruction of bacteriophages active against <u>Streptococcus cremoris</u>. <u>J. Dairy Sci.</u> 50(7): 1025-1031 (1967).
- phages active against <u>Streptococcus lactis</u>. <u>J. Dairy Sci. 53</u>(7):
 853-856 (1970).

- 207. Komemushi, S., Problems of heat sterilization dynamics. NASA

 Scientific Translations Service 49(8): "06-715 (1972).
- 208. Koolman, W. J., and Geers, J. M., Simple and accurate technique for the determination of heat resistance of bacterial spores.

 J. Appl. Bacteriol. 38(2): 185-187 (1975).
- 209. LaRock, P. A., Effect of water on the thermal death of a hydrocarbon bacterium in a nonaqueous fluid. Appl. Microbiol. 29(1): 112-114 (1975).
- 210. Lee, A. C., and Goepfert, J. M., Influence of selected solutes on thermally induced death and injury of <u>Salmonella typhimurium</u>.
 J. Milk and Food Technol. 38(4): 195-200 (1975).
- 211. Lee, S. H., and Labuza, T. P., Destruction of ascorbic acid as a function of water activity. <u>J. Food Sci. 40</u>: 370-373 (1975).
- 212. Leonard, S., et al., Comparative procedure for calculating

 Steriflamme thermal process. J. Food Sci. 40: 250-253 (1975).
- view. J. Food Sci. 40: 246-249 (1975).
- 214. Lerke, P., Farber, L., Heat pasteurization of crab and shrimp from the Pacific coast of the United States: public health aspects.

 J. Food Sci. 36: 277-279 (1971).
- 215. Levinson, H. S., and Hyatt, M. T., Heat activation kinetics of Bacillus megaterium spores. Biochem. Biophys. Res. Commun. 37: 909-916 (1969).

- , Distribution and correlation of events during thermal inactivation of <u>Bacillus megaterium</u> spores. <u>J. Bacteriol.</u>

 108(1): 111-121 (1971).
- 217. Leviton, A., and Pallansch, M. J., Laboratory studies on high temperature-short time sterilized evaporated milk. I. Easily constructed microviscometers suitable for containing biological materials. J. Dairy Sci. 43: 1389-1395 (1960).
- evaporated milk. II. Laboratory techniques for the preparation and study of sterile evaporated milk. J. Dairy Sci. 44: 442-450 (1961).
- 219. Licciardello, J. J., and Nickerson, J. T. R., Some observations on bacterial thermal death time curves. Appl. Microbiol. 11(6): 476-480 (1963).
- 220. Licciardello, J. J., Nickerson, J. T. R., Ribich, C. A., and Goldblith, S. A., Thermal inactivation of Type E botulinum toxin. Appl.

 Microbiol. 15: 249-256 (1967).
- 221. Licciardello, J. J., Ribich, C. H., Nickerson, J. T. R., and Goldblith, S. A., Kinetics of the thermal inactivation of Type E Clostridium botulinum toxin. Appl. Microbiol. 15: 344-349 (1967).
- 222. Lin, C.-C., Wu, B.-K., and Lin, D.-K., Spoilage bacteria in canned foods: flat sour spoilage bacteria in canned aspargus and thermal death time. Appl. Microbiol. 16: 45-47 (1968).
- 223. Liu, T.-S., and Snoeyenbos, G. H., Thermal destruction of <u>Salmonellae</u> in 'dry' feeds. J. <u>Amer. Vet. Med. Ass. 152</u>: 1341-1342 (1968).

- 224. Lovett, J., Peeler, J. T., and Stenburg, E., The effect of pH on the thermal inactivation kinetics of patulin in McIlvaine's buffer. Proc. Amer. Soc. Microbiol. May 2-7, p. 20 (1971).
- 225. Lovett, J., and Peeler, J. T., The effect of pH on the thermal destruction kinetics of patulin in aqueous solution. <u>J. Food Sci.</u>
 38: 1094-1095 (1973).
- 226. Luedecke, L. O., and Harmon, L. G., Thermal resistance of <u>Pseudomonas</u> fragi in milk. Appl. Microbiol. 14: 716-719 (1966).
- 227. Lynt, Jr. R. K., Thermal inactivation of <u>Clostridium botulinum</u> in crabmeat. Interstate Seafood Seminar, Virginia Beach, Sept. (1972).
- 228. Lynt, R. K., et al., Heat resistance of spores of <u>Clostridium botu-</u> linum in crabmeat. ASM Abstracts p. 17 (1973).
- 229. Mabee, M. S., and Mountney, G. J., Time-temperature patterns during deep fat frying of chicken parts and their relation to the survival of Salmonella. Food Technol. 24: 808-811 (1970).
- 230. Maccaulay, D. M., Hawirko, R. Z., and James, N., Effect of pasteurization on survival of certain psychrophilic bacteria. <u>Appl. Microbiol</u>. 11(2): 90-92 (1963).
- 231. Manson, J. E., Zahradnik, J. W., and Stumbo, C. R., Evaluation of lethality and nutrient retentions of conduction-heating in rectangular containers. Food Technol. 24: 1297-1301 (1970).
- 232. Marshall, B. J., et al., The effect of water activity, solutes and temperature on the viability and heat resistance of freeze-dried bacterial spores. J. Gen. Microbiol. 31: 451- (1963).

- 233. Martin, J. H., Harper, W. J., and Gould, I. A., Ultra-high temperature effects on selected Bacillus species. J. Dairy Sci. 49(11): 1367-1370 (1966).
- 234. Mast, M. G., and MacNeil, J. H., Heat pasteurization of mechanically deboned poultry meat. <u>Poultry Sci. 54</u>: 1024-1030 (1975).
- 235. Mazokhina, N. N., and Bogdanova, N. V., Modification of physical parameters of <u>Bacillus aerothermophilus</u> spores induced by thermal inactivation. Mikrobiologiya 40: 666-673 (1971).
- 236. Mazokhina, N. N., Naidenova, L. P., and Rozanova, L. I., Heat and pH effect on microorganisms, causing spoilage of canned foods.

 Acta Aliment. 2(4): 385-391 (1973).
- 237. McDonough, F. E., and Hargrove, R. E., Heat resistance of Salmonella in dried milk. J. Dairy Sci. 51(10): 1587-1591 (1968).
- 238. Michener, H. D., Thompson, P. A., and Dietrich, W. C., Timetemperature tolerance of frozen foods. XXII. Relationship of bacterial population to temperature. Food. Technol. 14: 290-294 (1960).
- 239. Mikolajcik, E. M., Thermodestruction of <u>Bacillus</u> spores in milk.

 J. Milk and Food Technol. 33(2): 61-63 (1970).
- 240. Milone, N. A., and Watson, J. A., Thermal inactivation of <u>Salmonella</u>
 senftenberg 775W in poultry meat. <u>Healt.</u> <u>Lab. Sci. 7</u>: 199-225 (1970).
- 241. Moats, W. A., Dabbah, R., and Edwards, V. M., Interpretation of non-logarithmic survivor curves of heated bacteria. <u>J. Food Sci. 36(3)</u>: 523-526 (1971).
- 242. Moats, W. A., Kinetics of thermal death of bacteria. <u>J. Lacteriol</u>.
 105(1): 165-171 (1971).

- 243. Molin, N., and Snygg, B. T., Effect of lipid materials on heat resistance of bacterial spores. Appl. Microbiol. 15: 1422-1426 (1967).
- 244. Mukataka, S., and Kobayashi, J., Studies on the distribution of germination time for heat-treated bacterial spores. J. Ferment.

 Technol. 48: 334-341 (1970).
- 245. Mullican, C. L., Buchanan, L. M., and Hoffman, R. K., Thermal inactivation of aerosolized <u>Bacillus subtilis</u> var. <u>niger spores</u>.

 Appl. Microbiol. 22(4): 557-559 (1971).
- 246. Murrell, W. G., and Scott, W. J., The heat resistance of bacterial spores at various water activities. J. Gen. Microbiol. 43: 411-425 (1966).
- 247. Navani, S. K., Scholefield, J., and Kirby, M. R., A digital computer program for the statistical analysis of heat resistance data applied to <u>Bacillus stearothermophilus</u> spores. <u>J. Appl. Bacteriol</u>. 33(4): 609-620 (1970).
- 248. Ng, H., Bayne, H., and Garibaldi, J., Heat resistance of Salmonella: the uniqueness of Salmonella senftenberg 775W. Appl. Microbiol. 17: 78-82 (1969).
- 249. Niepokojczycka, E., and Zakrzewski, K., Alumina Attached spores of <u>Bacillus stearothermophilus</u> for the control of sterilization process. <u>Acta Microbiol</u>. <u>Pol</u>., Ser. B <u>4</u>(21): 141-153 (1972).
- 250. Nishida, S., Seo, N., and Nakagawa, M., Sporulation, heat resistance, and biological properties of <u>Clostridium perfringens</u>. <u>Appl. Microbiol</u>.

 17: 303-309 (1969).

- 251. O'Connor, F., Thermal inactivation characteristics of a sporeformer isolated from spoiled UHT cream. <u>Ir. J. Agric. Res. 13(1)</u>: 61-68 (1974).
- 252. Ott, T. M., El-Bisi, H. M., and Esselen, W. B., Thermal destruction of <u>Streptococcus faecalis</u> in prepared frozen foods. <u>J. Food Sci. 26</u>: 1-10 (1961).
- 253. Ottaviano, P. J., Kinsley, R. N., and Gaby, W., The effect of cationic compounds of biological origin on the heat resistance of Bacillus subtilis spores. Can. J. Microbiol. 19(9): 1159-1161 (1973).
- 254. Pace, P. J., Krumbeigel, E. R., and Wisniewski, H. J., Interrelationship of heat and relative humidity in the destruction of Clostridium botulinum Type E spores on whitefish chubs. Appl.

 Microbiol. 23: 750-757 (1972).
- 255. Packer, G. J. K., and Gamlen, J. L. B., Calculation of temperature measurement errors in thermocouples in convection heating cans.
 J. Food Sci. 39(4): 739-743 (1974).
- 256. Paik, W. W., Sherry, E. J., and Stern, J. A., Thermal death of <u>Bacillus subtilis</u> var. <u>niger</u> spores on selected lander capsule surfaces. Appl. Microbiol. 17: 901-905 (1969).
- 257. Pareilleux, A., and Sicard, N., Lethal effects of electric current on Escherichia coli. Appl. Microbiol. 19: 421-424 (1970).
- 258. Parks, T. R., El-Bisi, H. M., and Esselen, W. B., Thermal inactivation of chlortetracycline in various meat menstrua. Appl. Microbiol. 8(5): 305-311 (1960).

- 259. Parrera, C., and Del Toro, P., Greening of cooked ham by Aerococcus viridans and a study of its thermal resistance. Microbiol. Espan.

 21: 205-212 (1968).
- 260. Pflug, I. J., Thermal resistance of microorganisms to dry heat:

 design apparatus, operational problems and preliminary results.

 Food Technol. 14: 483-487 (1960).
- 261. ______, Evaluating the lethality of heat processes using a method employing Hick's Table. Food Technol. 22: 1153-1156 (1968).
- 262. Pheil, C. G., Pflug, I. J., Nicholas, R. C., and Augustin, J. A. L., Effect of various gas atmospheres on destruction of microorganisms in dry heat. <u>Appl. Microbiol.</u> 15(1): 120-124 (1967).
- 263. Pilt, J. I., Resistance of some food spoilage yeasts to preservatives. Food Technol. 28: 238-241 (1974).
- 264. Pitt, J. I., and Christian, J. H. B., Heat resistance of Xerophilic fungi based on microscopical assessment of spore survival. <u>Appl.</u>
 <u>Microbiol.</u> 20(5): 682-686 (1970).
- 265. Powell, J. M., Development of Fortran program for calculating z values and equivalent heating times from thermal death time data.
 CM 890 Report, The University of Michigan, College of Engineering (1970).
- 266. Powers, J. J., Pratt, D. E., Carmon, J. L., Somaatmadja, D., and Fortson, J. C., Application of extreme-value methods and other statistical procedures to heat-penetration data. <u>Food Technol</u>.
 16: 80-87 (1962).

- 267. Puhan, Z., and Flueler, O., Thermal destruction of lactic acid bacteria and contaminants in skim milk and media containing milk fat. Lebensm. Wiss. Technol. 5(4): 144-146 (1972).
- 268. Put, H. M., and Wybinga, S. J., The occurrence of <u>Eacillus coagulans</u> with high heat resistance. <u>J. Appl. Bacteriol.</u> 26(3): 428-434 (1963).
- 269. Put, H. M., and Aalbersberg, W. IJ., Occurrence of <u>Bacillus subtilis</u> with high heat resistance. J. Appl. Bacteriol. 30(3): 411-419 (1967).
- 270. Quesnel, L. B., Hayward, J. M., and Barnett, J. W., Hot air sterilization at 200°. J. Appl. Bacteriol. 30(3): 518-528 (1967).
- 271. Quesnel, L. B., A note on steam sterilization of spore films on inaccessible surfaces. J. Appl. Bacteriol. 30(3): 529-530 (1967).
- 272. Read, Jr. R. B., Schwartz, C., and Litsky, W., Studies on the thermal destruction of Escherichia coli in milk and milk products. Appl.

 Microbiol. 9(5): 415-418 (1961).
- 273. Read, Jr. R. B., and Bradshaw, J. G., Staphylococcal enterotoxin

 B thermal inactivation in milk. <u>J. Dairy Sci. 49</u>: 202-203 (1965).
- toxin B in veronal buffer. Appl. Microbiol. 14: 130 (1966).
- 275. Read, Jr. R. B., Bradshaw, J. G., Dickerson, Jr. R. W., and Peeler, J. T., Thermal resistance of salmonellae isolated from dry milk.
 Appl. Microbiol. 16(7): 998-1001 (1968).
- 276. Reichert, J. E., and Bielig, H. J., Determining the required thermal effect (F-value) in foods, taking potatoes as an example. <u>Fleischwirtschaft</u> 55(3): 347-350, 353 (1975).

- 277. Resende, R., Stumbo, C. R., and Francis, F. J., Calculation of thermal processes for vegetable puree in capillary tubes at temperatures up to 350°F. Food Technol. 23: 325-330 (1969).
- 278. Rey, C. R., Walker, H. W., and Rohrbaugh, P. L., The influence of temperature on growth, sporulation, and heat resistance of spores of six strains of <u>Clostridium perfringens</u>. <u>J. Milk and Food Technol</u>. 38: 461-465 (1975).
- 279. Reyes, A. L., Campbell, J. E., and Scarpino, P. V., Investigation on the mechanism of thermal inactivation of bacterial endospores under conditions of high relative humidity. Abstracts of the Annual Meeting of the American Society for Microbiology (1974).
- 280. Reynolds, B. L., and Reeves, P. R., Kinetics of adsorption of Colicin CA42-E2 and reversal of its bactericidal activity. J. Bacteriol. 100: 301-309 (1969).
- 281. Riemann, H., Safe heat processing of canned cured meats with regard to bacterial spores. Food Technol. 17: 39-49 (1963).
- 282. ______, Effect of water activity on the heat resistance of Salmonella in 'dry' materials. Appl. Microbiol. 16: 1621-1622 (1968).
- 283. Roberts, W. M., Trends in ultra-high temperature pasteurization.

 J. Dairy Sci. 44(3): 559; 44(4): 633-643 (1961).
- 284. Roberts, T. A., Gilbert, R. J., and Ingram, M., The effect of sodium chloride on heat resistance and recovery of heated spores of Clostridium sporogenes (PA 3679/S₂). J. Appl. Bacteriol. 29(3): 549-553 (1966).

- 285. Ross, E. W., Statistical estimation of 12D for radappertized foods.

 J. Food Sci. 39: 800-806 (1974).
- 286. Rotman, Y., and Fields, M. L., Structure of spores of rough and smooth variants of <u>Bacillus stearothermophilus</u> with special reference to their heat resistance. J. Food Sci. 31(3): 437-440 (1966).
- 287. Sale, C. S., The lethal effect of relative humidity on air-borne bacteria and viruses. Virginia Med. Mon. 98: 19-24 (1971).
- 288. Samoilenko, I. I., and Pershina, Z. G., The effect of temperature on the radiosensitivity of <u>Staphylococcus</u> aureus. <u>Byull. Eksper.</u>
 Biol. Med. 70(12): 57-59 (1970).
- 289. Satterlee, L. E., and Draft, A. A., Effect of meat and isolated meat proteins or the thermal inactivation of Staphylococcal enterotoxin B. Appl. Microbiol. 17: 906-909 (1969).
- 290. Scheie, P., and Ehrenspeck, S., Large surface blebs on <u>Escherichia</u>

 <u>coli</u> heated to inactivating temperatures. <u>J. Bacceriol</u>. <u>114(2)</u>:

 814-818 (1973).
- 291. Segner, W. P., Frazier, W. C., and Calbert, H. E., Method for the determination of rates of spore inactivation at ultra-high temperatures. J. Dairy Sci. 45(11): 1392-1393 (1962).
- spores in milk concentrate at ultra-high temperatures. <u>J. Dairy Sci.</u>
 46(9): 891-896 (1963).
- 293. Segner, W. P., and Schmidt, C. F., Heat resistance of spores of marine and terrestrial strains of <u>Clostridium botulinum</u>. <u>Appl.</u>
 <u>Microbiol. 22</u>: 1030-1033 (1971).

- 294. Severance, M. M., and LaRock, P. A., Thermal death of a hydrocarbon bacterium in a nonaqueous fluid. J. Bacteriol. 116: 1287-1292 (1973).
- 295. Shannon, E. L., Reinbold, G. W., and Clark, W. S., Heat resistance of enterococci. J. Milk and Food Technol. 33(5): 192-196 (1970).
- 296. Shapton, D. A., Lovelock, D. V., and Laurita-Longo, R., The evaluation of sterilization and pasteurization processes from temperature measurements in degrees Celsius (°C). <u>J. Appl. Bacteriol</u>. 34: 491-500 (1971).
- 297. Shehata, T. E., and Collins, E. B., Sporulation and heat resistance of psychrophilic strains of bacillus. J. <u>Dairy Sci</u>. <u>55(10)</u>: 1405-1409 (1972).
- 298. Shortley, G., and Wilkins, J. R., Independent action and birth-death models in experimental microbiology. <u>Bacteriol</u>. <u>Reviews</u> 24: 102-141 (1965).
- 299. Shull, J. J., Cargo, G. T., and Ernst, R. R., Kinetics of heat activation and of thermal death of bacterial spores. Appl. Microbiol. 11(6): 485-487 (1903).
- 300. Shulland, J. J., and Ernst, R. R., Graphical procedure for comparing thermal death of <u>Bacillus stearothermophilus</u> spores in saturated and and superheated steam. <u>Appl. Microbiol.</u> 10(5): 452-457 (1962).
- 301. Simko, G. J., Devlin, J. D., and Wardle, M. C., Dry-heat resistance of <u>Bacillus subtilis</u> var. <u>niger</u> spores on mated surfaces. <u>Appl.</u>
 <u>Microbiol.</u> 22(4): 491-495 (1971).
- 302. Simpson, S. G., and Williams, M. C., An analysis of high temperature/short time sterilization during laminar flow. <u>J. Food Sci.</u> 39(5): 1047-1054 (1974).

- 303. Sims, J. E., Kelley, D. C., and Foltz, V. D., Effects of time and temperature on salmonellae in inoculated butter. J. Milk and Food Technol. 32(12): 485-488 (1969).
- 304. Singh, V. K., and Mikolajcik, E. M., Influence of heat treatment of skimmilk upon growth of enterophathogenic and lactic bacteria. <u>J</u>.

 Milk and Food Technol. 34(4): 204-208 (1971).
- 305. Soares de Melo, R., Cerf, O., and Hermier, J., Selection of a thermophilic Bacillus strain for measuring the sterilizing efficiency of UHT plants. Lait 53(527): 413-429 (1973).
- 306. Sonea, S., Desrochers, M., and Karska-Wysocki, B., Increased bactericidal effect of heat on polylysogenic strains of <u>Staphylococcus</u> aureus and <u>Bacterium anitratum</u>. <u>Rev. Can. Biol. 33(2)</u>: 81-85 (1974).
- 307. Song, Pill-Soon, and Chichester, C. O., Kinetic behavior and mechanism of inhibition in the Maillard reaction. III. Kinetic behavior of the inhibition in the reaction between D-glucose and glycine. J. Food Sci. 32: 98- (1967).
- 308. Songer, J. R., Influence of relative humidity on the survival of some airborne viruses. Appl. Microbiol. 15: 35-42 (1967).
- 309. Soo, H. M., Tatini, S. R., and Bennett, R. W., Thermal inactivation of staphylococcal enterotoxins A and D. ASM Abstracts p 1 (1973).
- 310. Soper, C. J., and Davies, D. J., The effect of rehydration and oxygen on the heat resistance of high vacuum treated spores.
 J. Appl. Bacteriol. 36(1): 19-130 (1973).

- 311. Souza, K. A., and Zill, L. P., Survival of common bacteria in liquid culture under CO₂ at high temperatures. Nature 247(5435): 67 (1974).
- 312. Speck, M. L., The inactivation of bacteria in milk exposed to ultra-high pasteurization temperatures. <u>J. Milk and Food Technol</u>. 24: 358-361 (1961).
- 313. _____, Bactericidal aspects of high temperature pasteurization of ice cream mix. J. Milk and Food Technol. 24: 378-381 (1961).
- 314. Spicher, G., Microbiological indicators of sterilization. General principles. Zentralbl. Bakteriol. Parasitenkd. Infektionskr. Hyg., Orig. A, 224(4): 527-553 (1973).
- 315. Staat, R. H., and Beakley, J. W., Dry heat inactivation characteristics of Bacillus subtilis var. niger spores. <u>Bacteriol</u>. <u>Proc</u>. <u>17</u> (1969).
- 316. Stiles, M. E., and Witter, L. D., Thermal inactivation, heat injury, and recovery of <u>Staphylococcus</u> aureus. <u>J. Dairy Sci. 48</u>(6): 677-681 (1965).
- 317. Strauss, B. S., Response of <u>Escherichia coli</u> auxotrophs to heat after treatment with mutagenic alkyl methanesulfonates. <u>J. Bacteriol</u>.

 83(2): 241-249 (1962).
- 318. Strong, D. H., and Ripp, N. M., Effect of cookery and holding on hams and turkey rolls contaminated with <u>Clostridium perfringens</u>.

 Appl. Microbiol. 15: 1172-1177 (1967).

- 319. Stroup, W. H., Dickerson, Jr. R. W., and Read, Jr. R. B., Two-phase slug-flow heat exchanger for microbial thermal inactivation research.

 Appl. Microbiol. 18: 889-892 (1969).
- 320. Stumbo, C. R., and Zahradnik, J. W., Experimental evaluation of mathematical and computer models for thermal process evaluation.

 J. Food Sci. 40: 653-655 (1975).
- 321. Stumbo, C. R., Purohit, K. S., and Ramakrishnan, T. V., Thermal process lethality guide for low-acid foods in metal containers.

 J. Food Sci. 40: 1316-1323 (1975).
- 322. Sullivan, R., Tierney, J. T., and Read, Jr. R. B., Thermal inactivation of selected viruses in milk. Bacteriol. Proc., Am. Soc.

 Microbiol., 67th Annual Meeting (1967).
- 323. ______, Thermal destruction rates of adenovirus 12, reovirus 1, and Herpes simplex in milk. J. Dairy Sci. 52: 897 (1969).
- 324. Sullivan, R., Tierney, J. T., Larkin, E. P., Read, Jr. R. B., and Peeler, J. T., Thermal resistance of certain oncogenic viruses suspended in milk and milk products. <u>Appl. Microbio1</u>. 22(3):315-320 (1971).
- 325. Sullivan, R., Tierney, J. T., Larkin, E. P., and Read. Jr. R. B.,

 Thermal inactivation of leukemia and sarcoma viruses in cow's milk

 and ice cream mix. <u>Bact. Proc.</u> A107-18 (1971).
- 326. Sullivan, R., Marnell, R. M., Larkin, E. F., and Read, Jr. R. B.,

 Inactivation of poliovirus 1 and coxsackievirus B-2 in broiled

 hamburgers. J. Milk and Food Technol. 38(8): 473-475 (1975).

- 327. Teixeira, A. A., Dixon, J. R., Zahradnik, J. W., and Zinsmeister, G. E., Computer determination of spore survival distributions in thermally-processed conduction-heated foods. <u>Food Technol.</u> 23: 352-354 (1969).
- 328. ______, Computer optimization of nutrient retention in the thermal processing of conduction-heated foods. <u>Food Technol</u>.
 23(6): 845-850 (1969).
- 329. Thomas, C. T., White, J. C., and Longree, K., Thermal resistance of salmoneliae and staphylococci in foods. Appl. Microbiol. 14: 815-820 (1966).
- 330. Torre G. D., Evaluation of microbial thermo-resistance in comparison with some treatments of food products. <u>Ind. Aliment.</u> 10: 105-112 (1971).
- 331. Torres-Anjel, M. J., and Hedrick, T. I., Spore removal by centrifugation and its effect on ultra-high temperature commercial
 sterilization of milk. J. Dairy Sci. 54: 326-330 (1971).
- 332. Trotman, R. E., Sterilization by radiofrequency induction heating:

 a method for the <u>in situ</u> sterilization of vessels in automatic

 bacteriological apparatus. <u>J. Appl. Bacteriol.</u> 32(3): 297-300

 (1969).
- 333. Vas, K., Problems in thermal processing. <u>J. Appl. Bacteriol</u>. <u>33</u>: 157-166 (1970).
- 334. Vesley, D., Keenan, K. M., and Halbert, M. M., Effect of time and temperature in assessing microbial conatmination of flat surfaces.

 Appl. Microbiol. 14(2): 203-205 (1966).

- 335. Vinters, J. E., Patel, R. H., and Halaby, G. A., Thermal process evaluation by programmable computer calculator. <u>Food Technol. 29</u>: 42-48 (1975).
- 336. Vinton, C., Viability and heat resistance of anaerobic spores held
 20 years at 40°F. J. Food Sci. 29(3): 337-338 (1964).
- 337. Walker, H. W., Matches, J. R., and Ayres, J. C., Chemical composition and heat resistance of some aerobic bacterial spores. <u>J. Bacteriol</u>. <u>82</u>(6): 960-966 (1961).
- 338. Walker, H. W., Influence of buffers and pH on the thermal destruction of spores of <u>Bacillus megaterium</u> and <u>Bacillus polymyxa</u>. <u>J. Food</u>
 Sci. 29(3): 360-365 (1964).
- 339. Walker, H. W., and Matches, J. R., Release of cellular constituents during heat inactivation of endospores of aerobic bacillus. <u>J. Food</u>
 Sci. 30(6): 1029-1036 (1965).
- 340. Walker, C. G., and Harmon, L. G., Thermal resistance of Staphylococcus aureus in milk, whey, and phosphate buffer. Appl. Microbiol. 14: 584-590 (1966).
- 341. Wang, D. I-C., Scharer, J., and Humphrey, A. E., Kinetics of death of bacterial spores at elevated temperatures. Appl. Microbiol. 12(5): 451-454 (1964).
- 342. Weiss, K. F., and Strong, D. H., Some properties of heat-resistant and heat-sensitive strains of <u>Clostridium perfringens</u>. <u>J. Bacteriol</u>. 93(1): 21-26 (1967).
- 343. Wilder, C. J., Factors affecting heat inactivation and partial reactivation of peroxidase purified by ion-exchange chromatography.

 J. Food Sci. 27(6): 567-573 (1962).

- 344. Woese, C., Thermal inactivation of viruses. <u>Ann. N. Y. Acad. Sci.</u>
 83: 741- (1960).
- 345. Woodams, E. E., and Nowrey, J. E., Literature values of thermal conductivities of foods. <u>Food Technol</u>. 22: 494-502 (1968).
- 346. Woodburn, M., and Kim, C. H., Survival of <u>Clostridium perfringens</u> during baking and holding of turkey stuffing. <u>Appl. Microbiol.</u> 14: 914-920 (1966).
- 347. Wooley, B. C., and Collier, R. E., Changes in thermoresistance of Clostridium roseum as related to the intracellular content of calcium and dipicolinic acid. Can. J. Microbiol. 11: 279 (1965).
- 348. Xezones, H., Segmiller, J. L., and Hutchings, I. J., Processing requirements for a heat-tolerant anaerobe. Food Technol. 19: 1001-1002 (1965).
- 349. Xezones, H., and Hutchings, I. J., Thermal resistance of <u>Clostridium</u>

 <u>botulinum</u> (62A) spores as affected by fundamental food constituents.

 <u>Food Technol.</u> 19: 113-115 (1965).
- 350. Yamagishi, H., and Ozeki, H., Comparative study of thermal inactivation of phage Ø80 and lambda. Virology 48(2): 316 (1972).
- 351. Yamagishi, H., Eguchi, G., Matsuo, H., and Ozeki, H., Visualization of thermal inactivation of phages lambda and Ø80. Virology 53(1): 277-282 (1973).
- 352. Yao, M. C., Denny, C. B., and Bohrer, C. W., Effect of frozen storage time on heat inactivation of <u>C. botulinum</u> Type E toxin.

 <u>Appl. Microbiol.</u> 25(3): 503-505 (1973).

- 353. Yokoseki, M., Suemitsu, H., and Nakayama, M., Susceptibility of heat-treated spores of <u>Bacillus firmus</u> and <u>Bacillus pulvifaciens</u> to three different food preservatives. <u>Bull. Jap. Soc. Sci. Fish</u> 34: 930-936 (1968).
- 354. Yokoya, F., and York, G. K., Effect of several environmental conditions on the "thermal death rate" of endospores. Appl. Microbiol.

 13: 993-999 (1965).
- 355. York, G. K., Hill, J. R., Marsh, G. L., Ansar, A., Merson, R. L., Wolcott, T., and Leonard, S., Thermobacteriology of canned whole tomatos. J. Food Sci. 40: 764-769 (1975).
- 356. Zampieri, A., and Greenburg, J., Effect of heat and plating medium on survival of <u>Escherichia coli</u> after treatment with radiomimetric chemicals. J. Bacteriol. 89(4): 931-936 (1965).
- 357. Zottola, E. A., and Marth, E. H., Thermal inactivation of bacterio-phages active against lactic streptococci. J. <u>Dairy Sci.</u> 49(11): 1338-1342 (1966).
- 358. Zottola, E. A., Jezeski, J. J., and Al-Dulaimi, A. N., Effect of short-time subpasteurization treatments on the destruction of Staphylococcus aureus in milk for cheese manufacture. J. Dairy Sci. 52(11): 1707-1714 (1969).
- 359. Zottola, E. A., and Jezeski, J. J., Comparison of short-time hold-ing procedures to determine thermal resistance to <u>Staphylococcus</u> aureus. J. <u>Dairy Sci. 52(11)</u>: 1855-1859 (1969).

RADIATION INACTIVATION

- 360. Adler, H. I., and Hardigree, A. A., Analysis of a gene controlling cell division and sensitivity to radiation in Escherichia coli.

 J. Bacteriol. 87(3): 720-726 (1964).
- 361. Affolter, H., Lutz, O., and Speiser, P., The antimicrobial treatment of ointments and ointment components with γ-rays. Pharm. Acta. Helv. 48(10): 570-587 (1973).
- 362. Alper, T., and Gillies, N. E., The relationship between growth and survival after irradiation of <u>Escherichia coli</u> strain B and two resistant mutants. J. Gen. <u>Microbiol</u>. 22: 113- (1960).
- 363. Andhari, R. V., and Kulkarni, V. B., Study of ultra-violet irradiation of <u>Staphylococcus aureus</u> from different origins. <u>Indian Vet. J.</u> 56(11): 1069-1072 (1973).
- 364. Andlis, A., and Werkowski, S., Estimation of radiation resistance values of microorganisms in food products. Appl. Microbiol. 16: 1300-1308 (1968).
- 365. Anellis, A., Grecz, N., Huber, D. A., Berkowitz, D., Schneider, M. D., and Simon, M., Radiation sterilization of bacon for military feeding. Appl. Microbiol. 13: 37-42 (1965).
- 366. Anellis, A., Berkowitz, D., Jarboe, C., and El-Bisi, H. M.,

 Radiation sterilization of prototype military foods. II. Cured Ham.

 Appl. Microbiol. 15: 166-177 (1967).
- 367. Anellis, A., and Werkowski, S., Estimation of radiation resistance values of microorganisms in food products. Appl. Microbiol. 16: 1300-1308 (1968).

- 368. Anellis, A., Berkowitz, D., Jarboe, C., and El-Bisi, H. M.,

 Radiation sterilisation of prototype military foods. III. Pork

 loin. Appl. Microbiol. 18: 604-611 (1969).
- 369. Anellis, A., Berkowitz, D., Swantak, W., and Strojan, C., Radiation sterilization of prototype military foods: low temperature irradiation of cod fish cake, corned beef, and pork sausage. Appl.Microbiol.24(3):453-462 (1972).
- 370. Anellis, A., Berkowitz, D., and Kemper, D., Comparative resistance of nonsporogenic bacteria to low-temperature gamma irradiation.

 Appl. Microbiol. 25(4): 517-523 (1973).
- 371. Arnulv, B. G., and Snygg, B. G., Radiation resistance of spores of Bacillus subtilis and B. stearothermophilus at various water activities. J. Appl. Bacteriol. 36(4): 677-82 (1973).
- 372. Bomar, M. T., On the non-thermal antimicrobial effect of microwaves.

 Th. Grunewald, Lebensm.-Wiss. Technol. 5(5): 166-171 (1972).
- 373. Borick, P. M., and Fogarty, M. G., Effects of continuous and interrupted radiation on microorganisms. Appl. Microbiol. 15: 785-789 (1967).
- 374. Bron, S., and Venema, G., Ultraviolet inactivation and excisionrepair in <u>Bacillus subtilis</u> III. Sensitized photoinactivation of
 transforming DNA, and the effect of thymine dimers on differential
 marker inactivation and differential marker repair. <u>Mutat. Res.</u>
 15(4): 377-393 (1972).

- 375. Brown, W. L., Vinton, C., and Gross, C. E., Radiation resistance of the nutural bacterial flora of cured ham. <u>Food Technol. 14</u>: 622-625 (1960).
- 376. Brown, D., and Gillies, N. E., The relationship between filiments, killing and restoration in irradiated Escherichia coli strain B.

 J. Gen. Microbiol. 70: 461- (1972).
- 377. Bruce, A. K., Sansone, P. A., and MacVittie, T. J., Radioresistance of bacteria as a function of p-hydrozymercuribenzoate binding.

 Radiat. Res. 38: 95-108 (1969).
- 378. Bucker, H., Horneck, G., and Wollenhaupt, H., Inactivation and division delay of Escherichia coli B/r by combined treatment with UV and vacuum. Biophysik 7: 217-222 (1971).
- 379. Bugyaki, L., The irradiation of food products. J. <u>Belge Radiol</u>. <u>57</u>(5): 387-407 (1974).
- 380. Carroll, D. E., and Lopez, A., Lethality of radio-frequency energy upon microorganisms in liquid buffered and alcoholic food systems.

 J. Food Sci. 34: 320-324 (1969).
- 381. Chung, H. Y., and Bell. F. E., Use of a thermal inactivation technique to obtain binding constants for the <u>Escherichia coli</u> valyl-trna synthetase. <u>Arch Biochem Biophys 152(2): 502-14 (1972)</u>.
- 382. Clifford, W. J., and Anellis, A., Radiation resistance of spores of some <u>Clostridium perfringens</u> strains. <u>Appl. Microbiol.</u> 29(6): 861-863 (1975).

- 383. Craig, A. G., Theory of radiation dose-survival curves for the case where organism lethality is defined as loss of reproductive capacity. <u>J. Theor. Biol.</u> 32: 259-267 (1971).
- 384. David, H. L., Jones, W. D., and Newman, C. M., Ultraviolet light
 inactivation and photoreactivation in the mycobacteria. <u>Infect</u>.

 Immunity 4: 318-319 (1971).
- 385. DiGirolamo, R., Liston, J., and Matches, J., Effects of irradiation on the survival of virus in West Coast oysters. Appl.
 Microbiol. 24: 1005-1006 (1972).
- 386. Dyer, J. K., Anderson, A. W., and Dutiyabodhi, P., Radiation survival of food pathogens in complex media. Appl. Microbiol. 14: 92-97 (1966).
- 387. Eisenstark, A., Mutagenic and lethal effects of visible and nearultraviolet light on bacterial cells. Adv. Genet. 16: 167-198 (1971).
- 388. Epps, N. A., and Idziak, E. S., Radiation treatment of foods. II.

 Public health significance of irradiation-recycled salmonella.

 Appl. Microbiol. 19: 338-344 (1970).
- 389. Erdman, I. E., Thatcher, F. S., and Macqueen, K. F., II. Irradiation-resistant mutants. Can. J. Microbiol. 7: 207-215 (1961).
- 390. Etchells, J. L., Costilow, R. N., Bell, T. A., and Rutherford, H. A.,
 Influence of samma radiation on the microflora of cucumber fruit
 and blossoms. Appl. Microbiol. 9(2): 145-149 (1961).
- 391. Frabe, I., Nanjo, H., and Okada, H., Effect of acetylation of

 Bacillus subtilis -amylase on the kinetics of heat inactivation.

 Biochem Biophys Acta 302(1): 73-79 (1973).

- 392. Futter, B. V., and Richardson, G., Inactivation of bacterial spores by visible radiations. <u>J. Appl. Bacteriol.</u> 30(2): 347-353 (1967).
- 393. Gould, G. W., Potentiation by halogen compounds of the lethal action of γ-radiation on spores of <u>Bacillus cereus</u>. <u>J. Gen</u>. Microbiol. 64: 289- (1970).
- 394. Grecz, N., and Upadhyay, J., Radiation survival of bacterial spores in neutral and acid ice. Can. J. Microbiol. 16: 1045-1049 (1970).
- 395. Grecz, N., Walker, A. A., Anellis, A., and Berkowitz, D., Effect of irradiation temperature in the range -196 to 95°C on the resistance of spores of <u>Clostridium botulinum</u> 33A in cooked beef. <u>Can.</u>
 <u>J. Microbiol.</u> 17: 135-142 (1971).
- 396. Greenberg, J., and Woody-Karrer, P., Radiosensitivity in Escherichia coli. J. Gen. Microbiol. 33: 283 (1964).
- 397. Greenberg, R. A., Bladel, B. O., and Zingelmann, W. J., Radiation injury of <u>Clostridium botulinum</u> spores in cured meat. <u>Appl.</u>

 Microbiol. 13: 743-748 (1965).
- 398. Greer, S. B., Studies on ultraviolet irradiation of Escherichia coli containing 5-bromouracil in its DNA. J. Gen. Microbiol. 22: 618- (1960).
- 399. Hamkalo, B. A., et al., Effects of ultraviolet radiation on respiration and growth in radiation resistant and radiation sensitive strains of E. coli B. J. Backeriol. 99: 815-823 (1969).

- 400. Harnulv, B. G., and Snygg, G. G., Radiation resistance of spores of <u>Bacillus subtilis</u> and <u>B. stearothermophilus</u> at various water activities. <u>J. Appl. Bacteriol</u>. 36(4): 677-682 (1973).
- 401. Hitchins, A. D., King, W. L., and Gould, G. W., Role of disulphide bonds in the resistance of <u>Bacillus cereus</u> spores to gamma irradiation and heat. <u>J. Appl. Bacteriol</u>. 29(3): 505-511 (1966).
- 402. Huber, T. W., Reddick, R. A., and Kubica, G. P., Germicidal effect of ultraviolet irradiation on paper contaminated with mycobacteria.

 Appl. Microbiol. 19: 383-384 (1970).
- 403. Idziak, E. S., Incze, K., Radiation treatment of foods: radurisation of fresh eviscerated poultry. <u>Appl. Microbiol.</u> 16: 1061-1066 (1968).
- 404. Irie, R., Yano, N., and Kembo, H., Kinetic analysis of the UVresistant transient stage in spore-germination of <u>Bacillus</u> <u>subtilis</u>.

 <u>J. Gen. Appl. Microbiol</u> (Toyoko) 14: 279-293 (1968).
- 405. Irie, R., and Morichi, T., Role of water in ultraviolet-resistance of germinating bacterial spores. <u>J. Gen. Appl. Microbiol.</u> 19: 421-427 (1973).
- 406. Iwasaki, T., Tallentire, A., Kimler, B. F., and Powers, E. L., The influence of added H₂0 and D₂0 on anoxic radiation sensitivity in bacterial spores. Radiat. Res. 57(2): 306-310 (1974).
- 407. Johansen, I., Gulbrandsen, R., and Pettersen, R., Effectiveness of oxygen in promoting X-ray-induced single-strand breaks in circular phage DNA and killing of radiation-sensitive mutants of Escherichia coli. Radiat. Res., 58(3): 384-397 (1974).

- 408. Johansen, I., Competition between tetramethylpiperidinol N-oxyl and oxygen in effects on single-strand breaks in episomal DNA and in killing after X-irradiation in Escherichia coli. Radiat. Res. 58(3): 398-408 (1974).
- 409. Kamof, G., and Abel, H., The dependence of the radiation sensitivity of <u>Bacillus subtilis</u> on radiation quality. <u>Stud. Biophys.</u> 41(1): 1-10 (1973).
- 410. Kempe, L. L., and Graikoski, J. T., Gamma-ray sterilization and residual toxicity studies of ground beef inoculated with spores of Clostridium botulinum. Appl. Microbiol. 10(1): 31-36 (1962).
- 411. Kiss, I., Farkas, J., Andrassy, E., and Beczassy, K., Observations on radiation-sterilised sugar and its microbiological effects.
 <u>Acta. Microbiol. Polonica</u> 17: 67-74 (1968).
- 412. Kumta, U. S., et al., Radiation pasteurization of fresh and blanched tropical shrimps. J. Food Sci. 35: 360-363 (1970).
- 413. Lachet, B., Extensive statistical analysis in fitting mathematical models to survival curves. <u>Mathematical Biosciences</u> 27: 155-168 (1975).
- 414. Lerke, P. A., and Farber, L., Effect of electron beam irradiation on the microbial content of spices and teas. <u>Food Technol.</u> 14: 266-267 (1960).
- 415. Ley, F. J., Winsley, B., Harbord, P., Keall, A., and Summers, T.,

 Radiation sterilization: microbiological findings from subprocess

 dose treatment of disposable plastic syringes. J. Appl. Bacteriol.

 35(1): 53-61 (1972).

- 416. Licciardello, J. J., and Nickerson, J. T. R., Effect of repeated irradiation on various characteristics of salmonella. Appl. Microbiol. 18: 636-640 (1969).
- 417. Licciardello, J. J., Nickerson, J. T. R., and Goldblith, S. A., Recovery of <u>Salmonellae</u> from irradiated and unirradiated foods.

 J. Food <u>Sci.</u> 35(5): 620-624 (1970).
- 418. , Inactivation of salmonella in poultry with gamma radiation. Poultry Sci. 49: 663-675 (1970).
- 419. Liuzzo, J. A., Farag, M. K., and Novak, A. F., Effect of low-level radiation on the proteolytic activity of bacteria in oysters. <u>J</u>. Food Sci. 32(6): 678-681 (1967).
- 420. Lotareva, O. V., and Filippov, V. D., Study of UV-mutagenesis in

 Bacillus subtilis. III. Comparison of sensitivity of some strains
 to inactivating and mutagenic effects of ultraviolet light.

 Genetika 10(4): 135-141 (1974).
- 421. Matches, J. R., and Liston, J., Growth of <u>Salmonellae</u> on irradiated and non-irradiated seafoods. <u>J. Food Sci.</u> 33(4): 406-410 (1968).
- J. Food Sci. 36(2): 339-340 (1971).
- 423. Meyer, V., Microbiological problems in the irradiation of fish.

 Fette Seifen Anstrichm. 73: 741-743 (1971).
- 424. Midura, T. F., Kempe, L. L., Graikoski, J. T., and Milore, N. A., Resistance of <u>Clostridium perfringens</u> Type A spores to γ-radiation. Appl. Microbiol. 13: 244-247 (1965).

- 425. Miller, D. R., Theoretical survival curves for radiation damage in bacteria. J. Theor. Biol. 26: 383-398 (1970).
- 426. Mount, D. W., Walker, A. C., and Kosel, C., Effect of tsl mutations in decreasing radiation sensitivity of a recA strain of Escherichia coli K-12. J. Bacteriol. 121: 1203- (1975).
- 427. Mukherjee, P., and Bhattacharjee, S. B., Effect of incubation with bacterial extract on the survival of X-irradiated bacteria.

 J. Gen. Microbiol. 65: 275- (1971).
- 428. Myasnik, M. N., Korogodin, V. T., Petin, V. G., and Morozov, I. I., Survival of Escherichia coli B irradiated with γ-rays and α-particles. Doki. Akad. Nauk 185: 932-934 (1969).
- 429. Noaman, M. A., Silverman, G. J., Davis, N. S., and Goldblith, S. A., Radiosensitization of <u>Streptococcus faecalis</u> and <u>Escherchia</u> coli. J. Food Sci. 29(1): 80-86 (1964).
- 430. O'Bryan, C., and Harrison, A. P., Variability of photodynamic killing of <u>E</u>. <u>coli</u> and avoidance of variability with agar.
 J. Bacteriol. <u>106</u>: 1031-1033 (1971).
- 431. Pace, W. E., Microbiological aspects of food irradiation. M11.

 Med. 135: 215-218 (1969).
- 432. Parisi, A., and Antoine, A. D., Increased radiation resistance of vegetative <u>Bacillus pumilus</u>. <u>Appl. Microbiol</u>. <u>28(1): 41-46</u> (1974).
- 433. Peak, M. J., Some observations on the lethal effects of near-ultraviolet light on Escherichia coli compared with the lethal effects of far-ultraviolet light. Photo-chem. Photobiol. 12: 1-8 (1970).

- 434. Petin, V. G., Myasnik, M., and Morozov, I., On the role of postradiation recovery and radioresistance of different bacterial strains. Radiobiologiya 10: 416-421 (1970).
- 435. Powers, E. L., Cross, M., and Varga, C. V., A dose-rate effect in the ultraviolet inactivation of bacterial spores. <u>Photochem. Photobiol.</u> 19(4): 273-276 (1974).
- 436. Previte, J. J., Chang, Y., Scrutchfield, W., and El-Bisi, H. M.,

 Effects of radiation pasteurization on salmonella. II. Influence

 of repeated radiation-growth cycles on virulence and resistance to

 radiation and antibiotics. Can. J. Microbiol. 17: 105-110 (1971).
- 437. Purohit, K. S., Manson, J. E., and Zahradnik, J. W., Computer evaluation of irradiation processes in cylindrical containers with gamma sources. J. Food Sci. 36(5): 747-749 (1971).
- 438. Rahman, A. T. M. F., Siddiqui, A. K., and Amin, M. R., Microbio-logical problems in food irradiation and radiosensitization.

 Nucleus 9(1-2): 47-54 (1972).
- 439. Read, Jr. R. B., and Bradshaw, J. G., Gamma irradiation of staphylococcal enterotoxin B. Appl. Microbiol. 15(3): 603-605 (1967).
- 440. Roberts, T. A., Ditchett, P. J., and Ingram, M., The effect of sodium chloride on radiation resistance and recovery of irradiated anaerobic spores. <u>J. Appl. Bacteriol</u>. 28(2): 336-348 (1965).
- 441. Roberts, T. A., and Ingram, M., Radiation resistance of spores of Clostridium species in aqueous suspension. J. Food Sci. 30(5): 879-885 (1965).

- 442. Rude, J. M., and Doudney, C. O., Relation between survival and deoxyribonucleic acid replication in ultraviolet-irradiated resistant and sensitive strains of Escherichia coli B/r.

 J. Bacteriol. 113(3): 1161-1169 (1973).
- 443. Sasayama, S., Irradiation preservation of fish meat jelly products.

 II. Classification of spoilage bacteria in irradiated Kamaboko.

 Bull. Tokai Reg. Fish. Res. Lab. 75: 39-46 (1973).
- 444. Schimmel, D., Ahlendorf, W., and Burger, E., The irradiation sensitivity of mycoplasmas in broth and colostrum. Z. <u>Versuch</u>-stierkd. 16(1): 36-40 (1974).
- 445. Schmidt, C. F., and Nank, W. K., Radiation sterilization of food.

 I. Procedures for the evaluation of the radiation resistance of spores of Clostridium botulinum in food products. J. Food Sci.

 25: 321-327 (1960).
- 446. Schmidt, C. F., Nank, W. K., and Lechowich, R. V., Radiation sterilization of food. II. Some aspects of the growth, sporulation, and radiation resistance of spores of Clostridium botulinum, Type E. J. Food Sci. 27: 77-84 (1962).
- 447. Schmidt, C., Lechowich, R. V., and Nank, W. K., Radiation resistance of spores of Type E Clostridium as related to extension of the refrigerated storage life of foods. J. Food Sci. 27: 85-89 (1962).
- 448. Sedliakova, M., Influence of physiological factors on the resistance to ultraviolet radiation in bacteria. Stud. Biophys. (36-37) 59-66 (1973).

- 449. Sherman, R., Yee, W., Comorosan, S., Crisan, D., and Markovski, S., Effect of penicillin irradiation on bacterial growth and penicillin resistance. Chemotherapy 20(4): 227-234 (1974).
- 450. Shin-Ichi, K., and Yasushi, T., Fungistatic activity of soil sterilized by gamma radiation. <u>Can. J. Microbiol.</u> 19: 1133- (1973).
- 451. Shindler, A. F., Abadie, A. N., and Simpson, R. E., Effect of low dose gamma radiation on the aflatoxin producing potential of Aspergillus flavus and A. parasiticus. Radiation Res. Soc., 20th Annual Meeting p. 59 (1972).
- 452. Shoesmith, J. G., Factors affecting the radiation resistance of dried bacterial spores. Guy's Hosp. Rep. 119: 185-194 (1970).
- 453. Silverman, G. J., Davis, N. S., and Beecher, N., Resistivity of spores to ultraviolet and γ radiation while exposed to ultrahigh vacuum or at atmospheric pressure. <u>Appl. Microbiol</u>. <u>15</u>: 510-515 (1967).
- 454. Slabyj, B. M., Dollar, A. M., and Liston, J., Post-irradiation survival of Staphylococcus aureus in sea foods. J. Food Sci. 30(2): 344-350 (1965).
- 455. Sullivan, R., Fassolitis, A. C., and Read, Jr. R. B., Radioresistance of viruses likely to be food-borne. Bacteriol. Proc.,
 Annual Meeting Amer. Soc. Microbiol. pp. 155 (1968).
- 456. Sullivan, R., Fassolitis, A. C., Larkin, E. P., and Read, Jr. R. B.,

 The effect of substrate on the radioresistance of coxsackie virus

 A-9. Bact. Proc. A106-18 (1971).

- radiation. Appl. Microbiol. 22(1): 61-65 (1971).
- 458. Sullivan, R., Scarpino, P. V., Fassolitis, A. C., Larkin, E. P., and Peeler, J. T., Gamma radiation inactivation of coxsackie virus B-2. Appl. Microbiol. 26: 14-17 (1973).
- 459. Solberg, M., and Riha, W. E., Microbial control using ultra violet radiations. Food Technol. 23: 791-793 (1969).
- 460. Tallentire, A., Dwyer, J., and Ley, F. J., Microbiological quality control of sterilized products: evaluation of a model relating frequency of contaminated items with increasing radiation treatment.
 <u>J. Appl. Bacteriol.</u> 34: 521-534 (1971).
- 461. Tanooka, H., and Sakakibara, T., Studies on radioresistant nature of transforming DNA in bacterial spores. 7th Int. Congress Biochem. (Tokyo) 1967.
- , Radio esistant nature of the transforming activity of DNA in bacterial spores. Biochim. Biophys. Acta 155: 130-142 (1968).
- 463. Tanooka, H., Ultraviolet resistance of DNA in spore sphaeroplasts of Bacillus subtilis as measured by the transforming activity.

 Biochim. Biophys. Acta 166: 581-583 (1968).
- 464. Teeny, F. M., and Miyauchi, D., Irradiation of Pacific Coast fish at sea. J. Milk and Food Technol. 33: 330-334 (1970).
- 465. Thornley, M. J., Radiation resistance among bacteria. J. Appl.

 Microbiol. 26(3): 334-345 (1963).

- 466. Tiwari, N. P., and Maxcy, R. B., Impact of low doses of gamma radiation and storage on the microflora of ground red meat. <u>J</u>.

 Food Sci. 36: 833-834 (1971).
- 467. Tjaberg, T. B., Underdal, B., and Lunde, G., The effect of ionizing radiation on the microbiological content and volatile constituents of spices. J. Appl. Bacteriol. 35(3): 473-478 (1972).
- 468. Tyrmanian, M. A., and Pershina, Z. G., Effect of ionizing radiation on microorganisms and radiation sterilisation. Zh. Mikrobiol. Epidemiol. Immunobiol. 48(5): 75-80 (1971).
- 469. Upadhyay, J., and Grecz, N., Radiation survival of bacterial spores in neutral and alkaline ice. <u>Can. J. Microbiol</u>. <u>15</u>: 1419-1425 (1969).
- 470. Underdal, B., and Rosseb, L., Inactivation of strains of Salmonella senftenberg by gamma irradiation. J. Appl. Bacteriol. 35(3): 371-377 (1972).
- 471. Wagenaar, R. O., and Dack, G. M., Studies on the inactivation of

 Type A <u>Clostridium botulinum</u> toxin by irradiation with cobalt 60^{a,b}.

 <u>J. Food Sci. 25</u>: 279-284 (1960).
- 472. Wallhausser, K. H., Microbial reduction by treatment with ozone or UV radiation. Pharm. Ind. 34(11a): 925-928 (19/2).
- 473. Wedemeyer, G., and Dollar, A. M., The role of free and bound water in irradiation preservation: free radical damage as a function of the physical state of water. <u>J. Food Sci. 29(5)</u>: 525-529 (1964).
- 474. Wegener, H., Preservation of food with radiation. Arch. Lebensmittelhyg. 23: 109-110 (1972).

- 475. Welch, A. B., and Maxcy, R. B., Characterization of radiation-resistant vegetative bacteria in beef. Appl. Microbiol.30: 242-250 (1975).
- 476. Wheaton, E., Pratt, G. B., and Jackson, J. M., Radioresistance of five strains of Clostridium botulinum in selected food products.

 J. Food Sci. 26: 345-350 (1961).
- 477. Wheaton, E., and Pratt, G. B., Radiation survival curves of Clostridium botulinum spores. J. Food Sci. 27: 327-334 (1962).
- 478. Williams, P. H., and Clarke, C. H., Pre- and post-irradiation effects upon lethality and reversion in Samonella typhimurium.

 J. Gen. Microbiol. 68: 199- (1971).
- 479. Witkin, M., The radiation sensitivity of Escherichia coli B: a hypothesis relating filament formulation and prophage induction.

 Proc. Nat. Acad. Sci. 57: 1275 (1967).
- 480. Woody-Karrer, P. L., and Greenberg, J., Resistance and cross-resistance of Escherichia coli S mutants to the radiomimetric agent nitrofurazone. J. Bacteriol. 85: 1208-1216 (1963).
- , Resistance and cross-resistance of Escherichia coli S mutants to the radiomimetric agent proflavine. J. Bacteriol. 87: 536-542 (1964).
- 482. Yndestad, M., Underdal, B., and Nordal, J., The effects of ultraviolet radiation on the bacterial counts and shelf life of chicken carcasses. Acta Agric. Scand. 22(3): 169-172 (1972).
- 483. Zamenhof, H. B., et al., Genetic factors in radiation resistance of <u>Bacillus subtilis</u>. <u>J. Bacteriol</u>. <u>90</u>: 108-115 (1965).

484. Zampieri, A., and Greenberg, J., Cross-resistance relationship in Escherichia coli between ultraviolet radiation and nitrous acid.

J. Bacteriol. 87: 1094-1099 (1964).

COMBINATION (CHEMICAL, HEAT, RADIATION) INACTIVATION

- 485. Alderton, G. A., and Shell, N., Chemical states of bacteria spores:

 dry heat resistance. Appl. Microbiol. 17: 745-749 (1969).
- 486. Bomar, M. T., Effect of combined treatment with irradiation, heating and antimicrobial agents on spores of <u>Bacillus subtilis</u>. <u>Zentralbl</u>.

 <u>Bakteriol</u>. <u>Abt</u>. <u>1</u>, <u>213</u>: 519-525 (1970).
- 487. Bosenberg, H., Measures and limits for sterilisation and disinfection.

 Arch. <u>Lebensmittelhyg.</u> 22: 169-172 (1971).
- 488. Boucher, R. M. G., Pisano, M. A., Tortora, G., and Sawicki, E.,

 Synergistic effects in sonochemical sterilization. Appl. Microbiol.

 15: 1257-1261 (1967).
- 489. Bridges, B. A., The effect of N-ethylmaleimide on the radiation sensitivity of bacteria. J. Gen. Microbiol. 26: 467 (1961).
- mutation-induction by gamma radiation in Escherichia coli. J. Gen.

 Microbiol. 31: 405 (1963).
- 491. Briggs, A., The resistance of spores of the genus <u>Bacillus</u> to phenol, heat and radiation. <u>J. Appl. Bacteriol.</u> 29(3): 490-504 (1966).
- 492. Briggs, A., and Yazdany, S., Effect of sodium chloride on the heat and radiation resistance and on the recovery of heated or irradiated spores of the genus <u>Bacillus</u>. <u>J. Appl. Bacteriol</u>. <u>33</u>(4): 621-632 (1970).

- 493. , Resistance of <u>Bacillus</u> spores to combined sporicidal treatments. J. Appl. <u>Bacteriol</u>. 37(4): 623-631 (1974).
- 494. Corry, J. E. L, and Roberts, T. A., A note on the development of resistance to heat and gamma radiation in <u>Salmonella</u>. <u>J. Appl.</u>

 <u>Bacteriol</u>. <u>33(4)</u>: 733-737 (1970).
- 495. Cox, N. A., Mecuri, A. J., Juven, B. J., and Thompson, J.E.,

 Evaluation of succinic acid and heat to improve the microbiological

 quality of poultry. J. Food Sci. 39: 985-987 (1974).
- 496. Davis, N. S., Silverman, G. J., and Keller, W. H., Combined effects of ultrahigh vacuum and temperature on the viability of some spores and soil organisms. Appl. Microbiol. 11(3): 202-210 (1963).
- 497. Deasy, P. B., Kister, E., and Timoney, R. F., Resistance of <u>Bacillus</u>

 <u>subtilis</u> spores to inactivation by gamma irradiation and heating in

 the presence of a bactericide. I. Suitability of viable count

 procedures. Appl. Microbiol. 20(3): 455-460 (1970).
- , Resistance of <u>Bacillus subtilis</u> spores to inactivation by gamma irradiation and heating in the presence of a bactericide. II. Factors affecting rates of inactivation by phenolic bactericides. Appl. Microbiol. 20(3): 461-464 (1970).
- , Resistance of <u>Bacillus subtilis</u> spores to inactivation by gamma irradiation and heating in the presence of a bactericide. III. Factors affecting rates of inactivation by phenylmercuric nitrate. <u>Appl. Microbiol. 22(4): 567 (1971).</u>

- 500. Denny, C. B., Reed, J. M., and Bohrer, C. W., Effect of tylosin and heat on spoilage bacteria in canned corn and mushrooms. <u>Food</u>

 <u>Technol</u>. <u>15</u>: 338-340 (1961).
- 501. Dharkar, S. D., Sensitization of microorganisms to radiation by previous ultrasonic treatment. J. Food Sci. 29(5): 641-643 (1964).
- 502. Doyle, J. E., and Ernst, R. R., Resistance of <u>Bacillus subtilis</u>
 var. <u>niger</u> spores occluded in water-insoluble crystals to three
 sterilization agents. Appl. Microbiol. 15: 726-730 (1967).
- 503. Drake, S. D., Evans, J. B., and Niven, C. F., The effect of heat and irradiation on the microflora of canned hams. J. Food Sci. 25: 270-278 (1960).
- 504. Dugan, V. L., A kinetic analysis of spore inactivation on a composite heat and gamma radiation environment. Sandia Labs., Space Life Sciences 2: 498-505 (1971).
- 505. Duitschaever, C. L., and Jordan, D.C., Development of resistance to heat and sodium chloride in <u>Streptococcus faecium</u> recovering from thermal injury. <u>J. Milk and Food Technol.</u> 37(7): 382-386 (1974).
- 506. Embory, C., Inactivation of dried bacteria and bacterial spores

 by means of gamma irradiation at high temperatures. Appl. Microbiol.

 27(5): 830-833 (1974).
- 507. Engler, R., and Broome, C., Inactivation of reovirus type 2 by a combination of chloroform and moderate temperature. Appl. Microbiol. 18(5): 940-941 (1969).

- 508. Ernst, R. R., and Shull, J. J., Ethylene oxide gaseous sterilization. I. Concentration and temperature effects. Appl. Microbiol.

 10: 337-341 (1962).
- 509. Erwin, D. G., and Height, R. D., Lethal and inhibitory effects of sodium chloride on thermally stressed S. aureus. J. Bacteriol.

 116: 337-340 (1973).
- 510. Etchells, J. L., et al., Influence of temperature and humidity on microbial, ensymatic, and physical changes of stored, pickling cucumbers. Appl. Microbiol. 26: 943-950 (1973).
- 511. Garibaldi, J. A., Acetic acid as a means of lowering the heat resistance of salmonella in yolk products. <u>Food Technol. 22</u>: 1031-1033 (1968).
- 512. Garst, D. M., and Reynolds, M. C., Optimizing thermal and radiation effects for bacterial inactivation. Sandia Labs., Space Life Sci. 2: 394-399 (1971).
- 513. Germaine, G. R., and Murrell, W. G., Effect of dipicolinic acid on the ultraviolet radiation resistance of <u>Bacillus cereus</u> spores.

 <u>Photochem Photobiol</u>. 17(3): 145-53 (1973).
- 514. Gould, G. W., Inactivation of spores in food by combined heat and hydrostatic pressure. Acta Aliment. 2(4): 377-383 (1973).
- of temperature of liquid nitrogen on radiation resistance of spores of <u>Clostridium botulinum</u>. <u>Appl. Microbiol</u>. <u>13</u>: 527-536 (1965).

- 516. Grecz, N., et al., Effect of temperature on radiation resistance of spores of Clostridium botulinum 33A. Can. J. Microbiol. 13: 287 (1967).
- 517. Grecz, N., Lin, C. A., and Suzuki, J. B., Effect of pH and heat on Type A spores and toxin of Clostridium botulinum. Dev. Ind.

 Microbiol. 15: 387-396 (1974).
- 518. Hill, W. M., and Fields, M. L., Factors affecting the growth and interaction of the rough and smooth variants of <u>Bacillus stearothermophilus</u>. I. Oxygen tension and temperature. <u>J. Food Sci.</u> 32(4): 458-462 (1967).
- 519. Hotz, G., and Muller, A., The action of heat and ionising radiation on the infectivity of isolated ØX174DNA. Proc. Nat. Acad. Sci. 60: 251-257 (1968).
- 520. Iwasawa, Y., and Ishihara, K., Resistance of Staphylococcus aureus to desiccation, heat and UV-irradiation in relation to phage pattern.

 Japan J. Microbiol. 11: 305-309 (1967).
- 521. Jaynes, J. A., Pflug, I. J., Harmon, L. G., and Costilow, R. N.,

 Effect of pH and brine concentration on the thermal resistance of

 PA 3679 in a processed cheese spread. J. Dairy Sci. 44(11): 1997-2003

 (1961).
- 522. Kuzminski, L. N., Howard, C. L., and Stumbo, C. R., Thermochemical factors influencing the death kinetics of spores of <u>Clostridium</u>

 <u>botulinum</u> 62A. <u>J. Food Sci. 34</u>: 561-567 (1969).

- 523. Lategan, P. M., and Vaughn, R. H., The influence of chemical additives on the heat resistance of Salmonella typhimurium in liquid whole egg. J. Food Sci. 29(3): 339-344 (1964).
- 524. Leonard, S., et al., Chemical, physical and biological aspects of canned whole peeled tomatos thermally processed by Steriflamme.

 J. Food Sci. 40: 254-256 (1975).
- 525. Levinson, H. S., and Hyatt, M. T., Some effects of heat and ionizing radiation on spores of <u>Bacillus</u> megaterium. <u>J. Bacteriol.</u> 80(4): 441-451 (1960).
- 526. Licciardello, J. J., and Nickerson, J. T. R., Effect of radiation environment on the thermal resistance of irradiated spores of Clostridium sporogenes P.A. 3679. J. Food Sci. 27(3): 211-218 (1962).
- 7. Fiffect of radiation environment on the thermal resistance of irradiated spores of <u>Bacillus subtilis</u>. <u>Appl. Microbiol.</u>
 11(3): 216-219 (1963).
- 528. Licciardello, J. J., Effect of temperature on radiosensitivity of Salmonella typhimurium. J. Food Sci. 29(4): 469-474 (1964).
- 529. Licciardello, J. J., Ribich, C. A., and Goldblith, S. A., Effect of irradiation temperature on inactivation of <u>Clostridium botulinum</u> toxin Type E by gamma rays. <u>J. Appl. Bacteriol</u>. 32(4): 476-480 (1969).
- 530. Liu, T. S., Howard, G. L., and Stumbo, C. R., Dichlorodifluromethaneethylene oxide mixture as a sterilant at elevated temperatures. <u>Food</u> <u>Technol.</u> 22: 86-89 (1968).

- 531. Lowik, J. A. M., and Anema, P. J., Effect of pH on the heat resistance of <u>Clostridium sporogenes</u> spores in minced meat. <u>J. Appl. Bacteriol</u>. <u>35(1)</u>: 119-121 (1972).
- 532. Mazokhina, N. N., Naidenova, L. P., Rozanova, L. I., and Dashevskaya,
 T. V., Heat and pH effect on microorganisms causing spoilage of canned foods. Acta Aliment. 2(4): 385-391 (1973).
- 533. McIntosh, A. F., and Munro, R. F., Ultrasonic treatment of microorganisms. Ind. Aliment. 12(10): 143-146 (1973).
- 534. Minor, T. E., and Marth, E. H., Loss of viability by Staphylococcus aureus in acidified media. I. Inactivation by several acids, mixtures of acids, and salts of acids. II. Inactivation by acids in combination with sodium chloride, freezing and heat. J. Milk and Food Technol. 35: 191-196, 548-555 (1972).
- 535. Mjsielski, H., and Borges, R., Heat resistance of dryed <u>Bacillus</u>

 stearothermophilus spores during storage at different temperatures
 and different relative humidities. <u>Zentralbl Bakeriol Naturwiss</u>

 129(3-4): 233-41 (1974).
- 536. Molin, G., and Ostlund, K., Dry-heat inactivation of <u>Bacillus</u>

 <u>subtilis</u> spores by means of infra-red heating. <u>Antonie van</u>

 <u>Leeuwenhoek 41: 329-335 (1975).</u>
- 537. Mullican, C. L., and Hoffman, R. H., Dry-heat or gaseous chemical resistance of <u>Bacillus subtilis</u> var. <u>niger</u> spores included within water-soluble crystals. <u>Appl. Microbiol.</u> 16(8): 1110-1113 (1968).

- 538. Pershina, Z. G., and Samoilenko, I. I., Combined action of gamma-irradiation and heat on staphylococci. Zh. Mikrobiol., Epidemiol.,

 Immunobiol. 47(12): 27-29 (1970).
- 539. Purchit, K. S., Manson, J. E., and Zahradnik, J. W., Theoretical evaluation of combined irradiation and thermal processes in cylindrical containers with gamma sources. J. Food Sci. 36(5): 750-(1971).
- 540. Reynolds, M. C., Lindell, K. F., and Laiblem, N., A study of the effectiveness of thermoradiation sterilization. Sandia Labs., SR-RR-70-423 (1970).
- 541. Reynolds, M. C., and Sivinski, H. D., Synergistic characteristics of thermoradiation sterilization. AA/Sandia Labs., June (1971).
- 542. Riha, W. E., and Solberg, M., <u>Clostridium perfringens</u> inhibition of sodium nitrite as a function of pH, inoculum size and heat. <u>J. Food</u>
 Sci. 40: 439-442 (1975).
- 543. Roberts, T. A., and Ingram, M., The resistance of spores of

 Clostridium botulinum Type E to heat and radiation. J. Appl. Bacteriol. 28(1): 125-138 (1965).
- 544. Roberts, T. A., Heat and radiation resistance and activation of spores of Clostridium welchii. J. Appl. Bacteriol. 31(1): 133-144 (1968).
- 545. Roberts, T. A., and Derrick, C. M., Sporulation of Clostridium

 putrefaciens and the resistance of the spores to heat, γ-radiation
 and curing salts. J. Appl. Bacteriol. 38(1): 33-37 (1975).

- 546. Rotman, Y., and Fields, M. L., Chemical composition and heat resistance of <u>Bacillus stearothermophilus</u> spores. <u>J. Food Sci.</u> 34(4): 345-346 (1969).
- 547. Shenoy, M. A., Singh, B. B., and Gopal-Ayengar, A. R., Enhancement of radiation lethality of <u>Escherichia coli</u> B/r by procaine hydrochloride. <u>Nature 249(5447)</u>: 415-416 (1974).
- 548. Skulberg, A., Addendum: the resistance of <u>Clostridium botulinum</u>

 Type E toxin to radiation. <u>J. Appl. Bacteriol.</u> 28(1): 139-141 (1965).
- 549. Tulis, J. J., Fogarty, M. G., and Sliger, J. L., Thermoradiation as a sterilization method. Dev. <u>Ind. Microbiol.</u> 14: 49-56 (1972).
- 550. Vajdi, M., and Pereira, R. R., Comparative effects of ethylene oxide, gamma irradiation and microwave treatments on selected spices. <u>J.</u>

 Food Sci. 38: 893-895 (1973).
- 551. Wilson, D. A., A study on the factors influencing sterilization by heat and radiation. J. Med. Lab. Technol. 25: 301-312 (1968).

BOOKS AND REVIEW ARTICLES

- 552. Angelotti, R., Protective mechanisms affecting dry-heat sterilization.

 IN: Sterilization Techniques For Instruments and Materials As Applied to Space Research, COSPAR Technique Manual Series. Manual 4: 59-74, COSPAR, Paris, France (1968).
- 553. Bibliography of Scientific Publications and Presentations Relating to
 Planetary Quarantine 1966-1971, The George Washington University,
 Dept. of Medical and Public Affairs, Biological Sciences Communication
 Project. (1973).

- 554. Bruch, C. W., Some biological and physical factors in dry heat sterilization: a general review. IN: M. Flockin and A. Dolltun (ed.), Life Sciences and Space Research, p. 357-371, John Wiley and Sons, Inc., New York (1964).
- 555. Charm, S. E., The Fundamentals of Food Engineering. The Avi Publ.

 Co., Inc., Westport, Conn. (1963).
- 556. Dickerson, Jr. R. W., and Read, Jr. R. B., An instrument for thermal inactivation research in microorganisms. IN: G. G. Vurek (ed.),

 Proceedings of the Annual Conference on Engineering in Medicine and
 Biology, San Francisco, Calif. 8:68 (1966).
- 557. Franklin, J. C., Symposium on bacterial spores: spores in milk: problems associated with UHT processing. <u>J. Appl. Bacteriol.</u> 33(1): (180-191 (1970).
- 558. Gammon, R. A., The effects of temperature and concentration of ethylene oxide on <u>Bacillus subtilis</u> var. <u>niger</u> strain globigii spores.

 IN: L. A. Underkofler (ed.), Developments in Industrial Microbiology

 16: 313-317 (1975).
- of thermal processing. Part 2. Food Technol. 26: 64-69 (1972).
- 560. Halvorson, H. O. (ed.), The formation of cystine-rich structure in sporulating cells and its possible role in the resistance of spores.

 IN: Spores II., p. 127-141, Burgess Publishing Co., Minneapolis, (1961).

- 561. Lawrence, Carl A., et al., Disinfection, sterilization and preservation. Lea & Febiger, Philadelphia (1968).
- 562. Liccardello, J. J., Nickerson, J. T. R., and Goldblith, S. A.,

 Elimination of salmonella in poultry with ionizing radiation. IN:

 Elimination of Harmful Organisms From Food and Feed by Irradiation.

 p. 1-28, International Atomic Energy Agency, Vienna (1968).
- 563. Maxcy, R. B., and Tiwari, N. P., Irradiation of meats for public health protection. IN: Radiation Preservation of Foods, p. 491-504. International Atomic Energy Agency, Vienna (1973).
- of bacterial spores. IN: Spores III., L. L. Campbell and H. O. Halvorson (ed.), p. 1-24, Amer. Soc. for Microbiol., Ann Arbor, Mich. (1965).
- 565. Pflug, I. J., and Esselen, W. B., Food processing by heat sterilization. IN: J. L. Heid and M. A. Joslyn (ed.), Food Processing Operations, The Avi Publ. Co., Inc., Westport, Conn. (1963).
- 566. Prokop, A., and Humphrey, A. E., Kinetics of disinfection. IN:
 M. A. Benarde (ed.), Disinfection, p. 61-83, Marcel Dekker, Inc.,
 New York (1970).
- 567. Roberts, T. A., and Hitchins, A. D., Resistance of spores. IN:

 G. W. Gould and A. Hurst (ed.), The Bacterial Spore, p. 611-670,

 Academic Press, Inc., New York (1969).
- 568. Sadoff, H. A., Symposium on bacterial spores: heat resistance of spore enzymes. J. Appl. Bacteriol. 33(1): 130-140 (1970).

- 569. Stumbo, C. R., Thermobacteriology in food processing. IN: M. L. Anson, E. Mrak, C. O. Chichester, and G. F. Steward (ed.), Food Science and Technology A Series of Monographs, Academic Press, New York (1965).
 - 570. Sykes, G., Symposium on bacterial spores: the sporicidal properties of chemical disinfectants. J. Appl. Bacteriol. 33(1): 147-156 (1970).